CHEMICAL KNOWLEDGE REPRESENTATION WITH DESCRIPTION GRAPHS AND LOGIC PROGRAMMING

Despoina Magka, Boris Motik and Ian Horrocks

Department of Computer Science, University of Oxford

December 9, 2011



OWL for the representation of molecular structures



OWL for the representation of molecular structures



▲□▶ ▲□▶ ▲ 三▶ ▲ 三▶ - 三 - のへぐ

- OWL for the representation of molecular structures
- OWL ontology Chemical Entities of Biological Interest





◆□▶ ◆□▶ ▲□▶ ▲□▶ ■ ののの

- OWL for the representation of molecular structures
- OWL ontology Chemical Entities of Biological Interest
 - High quality annotation and taxonomy of chemical compounds

- OWL for the representation of molecular structures
- OWL ontology Chemical Entities of Biological Interest
 - High quality annotation and taxonomy of chemical compounds

◆□▶ ◆□▶ ◆ □▶ ◆ □▶ ─ □ ─ つへぐ

Interoperability between researchers

- OWL for the representation of molecular structures
- OWL ontology Chemical Entities of Biological Interest
 - High quality annotation and taxonomy of chemical compounds
 - Interoperability between researchers
 - Drug discovery and elucidation of metabolic pathways





(ロ) (同) (三) (三) (三) (三) (○) (○)

ChEBI is manually incremented

◆□ ▶ ◆□ ▶ ◆ □ ▶ ◆ □ ▶ ● □ ● ● ● ●

・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・
・

ChEBI is manually incremented

Currently ~ 27,000 fully annotated entries

ChEBI is manually incremented

Currently ~ 27,000 fully annotated entries

■ Growth rate: ~ 1,500 entries per curator per year

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: ~ 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000

◆□ ▶ ◆□ ▶ ◆ □ ▶ ◆ □ ▶ ● ● ● ● ●

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: ~ 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: ~ 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes

< □ > < 同 > < 三 > < 三 > < 三 > < ○ < ○ </p>

Is dinitrogen inorganic?

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: ~ 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes
 - Is dinitrogen inorganic?
 - Does cyclobutane contain a four-membered ring?

(ロ) (同) (三) (三) (三) (三) (○) (○)

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: ~ 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes
 - Is dinitrogen inorganic?
 - Does cyclobutane contain a four-membered ring?

(ロ) (同) (三) (三) (三) (三) (○) (○)

Is acetylene a hydrocarbon?

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: \sim 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes
 - Is dinitrogen inorganic?
 - Does cyclobutane contain a four-membered ring?

(ロ) (同) (三) (三) (三) (三) (○) (○)

- Is acetylene a hydrocarbon?
- Does benzaldehyde contain a benzene ring?

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: \sim 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes
 - Is dinitrogen inorganic?
 - Does cyclobutane contain a four-membered ring?
 - Is acetylene a hydrocarbon?
 - Does benzaldehyde contain a benzene ring?

Speed up curating tasks with automated reasoning tools

(ロ) (同) (三) (三) (三) (三) (○) (○)

- ChEBI is manually incremented
- Currently ~ 27,000 fully annotated entries
- Growth rate: \sim 1,500 entries per curator per year
- Biologically interesting entities possibly > 1,000,000
- Each new molecule is subsumed by several chemical classes
 - Is dinitrogen inorganic? ~> Yes
 - Does cyclobutane contain a four-membered ring? ~ Yes

- Is acetylene a hydrocarbon? ~ Yes
- Does benzaldehyde contain a benzene ring? ~> Yes

Speed up curating tasks with automated reasoning tools

Chemical compounds are highly cyclic



Chemical compounds are highly cyclic



◆□ > ◆□ > ◆三 > ◆三 > ・三 ・ のへぐ

- Chemical compounds are highly cyclic
- OWL fundamentally inable to represent cycles
 - Does cyclobutane contain a four-membered ring? ×



◆□▶ ◆□▶ ▲□▶ ▲□▶ ■ ののの

- Chemical compounds are highly cyclic
- OWL fundamentally inable to represent cycles
 - Does cyclobutane contain a four-membered ring? ×

EXAMPLE

Cyclobutane \sqsubseteq (= 4)hasAtom.(Carbon \sqcap (= 2)hasBond.Carbon)

・ ロ ト ・ 雪 ト ・ 雪 ト ・ 日 ト



- Chemical compounds are highly cyclic
- OWL fundamentally inable to represent cycles
 - Does cyclobutane contain a four-membered ring? ×

EXAMPLE

Cyclobutane \sqsubseteq (= 4)hasAtom.(Carbon \sqcap (= 2)hasBond.Carbon)

・ ロ ト ・ 雪 ト ・ 雪 ト ・ 日 ト



(MIS) representing chemicals with OWL

- Chemical compounds are highly cyclic
- OWL fundamentally inable to represent cycles
 - Does cyclobutane contain a four-membered ring? ×
- Limitations of OWL (partially) remedied by extension of OWL with Description Graphs and rules [Motik et al., 2009]



◆□▶ ◆□▶ ▲□▶ ▲□▶ ■ ののの

- Chemical compounds are highly cyclic
- OWL fundamentally inable to represent cycles
 - Does cyclobutane contain a four-membered ring? ×
- Limitations of OWL (partially) remedied by extension of OWL with Description Graphs and rules [Motik et al., 2009]



- Chemical compounds are highly cyclic
- OWL fundamentally inable to represent cycles
 - Does cyclobutane contain a four-membered ring? ×
- Limitations of OWL (partially) remedied by extension of OWL with Description Graphs and rules [Motik et al., 2009]
 - Is cyclobutane a hydrocarbon? ×



◆□▶ ◆□▶ ◆ □▶ ◆ □▶ ─ □ ─ の < @

Switch to logic programming

- Switch to logic programming
 - Replace classical negation with negation-as-failure

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols

◆□▶ ◆□▶ ◆ □▶ ◆ □▶ ─ □ ─ の < @

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols
 - Ensure decidability via a novel acyclicity condition based on the derivations of the reasoning algorithm

(ロ) (同) (三) (三) (三) (三) (○) (○)

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols
 - Ensure decidability via a novel acyclicity condition based on the derivations of the reasoning algorithm

(ロ) (同) (三) (三) (三) (三) (○) (○)

 Expressive and decidable logic-based formalism for chemical knowledge representation

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols
 - Ensure decidability via a novel acyclicity condition based on the derivations of the reasoning algorithm

- Expressive and decidable logic-based formalism for chemical knowledge representation
 - Is dinitrogen inorganic?
 - Does cyclobutane contain a four-membered ring?
 - Is acetylene a hydrocarbon?
 - Does benzaldehyde contain a benzene ring?

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols
 - Ensure decidability via a novel acyclicity condition based on the derivations of the reasoning algorithm

(ロ) (同) (三) (三) (三) (三) (○) (○)

- Expressive and decidable logic-based formalism for chemical knowledge representation
 - Is dinitrogen inorganic? ✓
 - Does cyclobutane contain a four-membered ring?
 - Is acetylene a hydrocarbon? ✓
 - Does benzaldehyde contain a benzene ring?

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols
 - Ensure decidability via a novel acyclicity condition based on the derivations of the reasoning algorithm

- Expressive and decidable logic-based formalism for chemical knowledge representation
 - Is dinitrogen inorganic? ✓
 - Does cyclobutane contain a four-membered ring?
 - Is acetylene a hydrocarbon? ✓
 - Does benzaldehyde contain a benzene ring?
- Encouraging results of a preliminary evaluation

- Switch to logic programming
 - Replace classical negation with negation-as-failure
 - Translate DGs into logic programs with function symbols
 - Ensure decidability via a novel acyclicity condition based on the derivations of the reasoning algorithm

- Expressive and decidable logic-based formalism for chemical knowledge representation
 - Is dinitrogen inorganic? ✓
 - Does cyclobutane contain a four-membered ring?
 - Is acetylene a hydrocarbon? ✓
 - Does benzaldehyde contain a benzene ring?
- Encouraging results of a preliminary evaluation
- Thank you. See you in the poster session!