

A Proof Puzzle

Ralf Hinze

Computing Laboratory, University of Oxford
Wolfson Building, Parks Road, Oxford, OX1 3QD, England
`ralf.hinze@comlab.ox.ac.uk`
`http://www.comlab.ox.ac.uk/ralf.hinze/`


June 2008

ϵ

0 1

00 01 10 11

000 001 010 011 100 101 110 111



$$\begin{aligned} [] \curlywedge y &= y \\ (a : x) \curlywedge y &= a : (y \curlywedge x) \end{aligned}$$

`ldouble x = map ([0]++) x ++ map ([1]++) x`

`rdouble x = map (+[0]) x \curlywedge map (+[1]) x`

`iterate ldouble [[]] = iterate rdouble [[]] ?`

$$\begin{aligned} [] \curlywedge y &= y \\ (a : x) \curlywedge y &= a : (y \curlywedge x) \end{aligned}$$

`ldouble x = map ([0]++) x ++ map ([1]++) x`

`rdouble x = map (+[0]) x \curlywedge map (+[1]) x`

`iterate ldouble [[]] = iterate rdouble [[]] ?`

$$\begin{aligned} [] \curlywedge y &= y \\ (a : x) \curlywedge y &= a : (y \curlywedge x) \end{aligned}$$

ldouble x = map ([0]++) x ++ map ([1]++) x

rdouble x = map (+[0]) x \curlywedge map (+[1]) x

iterate ldouble [[]] = iterate rdouble [[]] ?