

Combining Machine Learning and Semantic Web: A Systematic Mapping Study

Anna Breit^{1,*}, Laura Waltersdorfer², Fajar J. Ekaputra^{2,3}, Marta Sabou^{2,3},
Andreas Ekelhart⁴, Andreea Iana⁵, Heiko Paulheim⁵, Jan Portisch⁵, Artem Revenko¹,
Frank van Harmelen⁶ and Annette ten Teije⁶

¹*Semantic Web Company, Vienna, Austria*

²*Vienna University of Technology, Vienna, Austria*

³*Vienna University of Economics and Business, Vienna, Austria*

⁴*University of Vienna, Vienna, Austria*

⁵*University of Mannheim, Mannheim, Germany*

⁶*Vrije Universiteit Amsterdam, Amsterdam, The Netherlands*

In line with the general trend in AI research to create intelligent systems that combine learning and symbolic components, a new sub-area has emerged that focuses on combining machine learning (ML) components with techniques developed by the Semantic Web (SW) community – Semantic Web Machine Learning (SWeML). Due to its rapid growth and impact on several communities in the last two decades, there is a need to better understand the space of these SWeML Systems, their characteristics, and trends. Yet, surveys that adopt principled and unbiased approaches are missing. To fill this gap, *in our recently published paper [1]*, we performed a systematic study and analyzed nearly 500 papers published in the last decade in this area, where we focused on evaluating architectural, and application-specific features. Our analysis identified a rapidly growing interest in SWeML Systems, with a high impact on several application domains and tasks. Catalysts to this growth are the deep learning and knowledge graph technologies. By leveraging the in-depth understanding of the area, we publish the classification SWeML Systems as an ontology. We bring a complementary view to the NeSy community by showing how the SW community is deploying neuro-symbolic systems.

References

- [1] A. Breit, L. Waltersdorfer, J. F. Ekaputra, M. Sabou, A. Ekelhart, A. Iana, H. Paulheim, J. Portisch, A. Revenko, A. Ten Teije, F. van Harmelen, Combining Machine Learning and Semantic Web -A Systematic Mapping Study, ACM Computing Surveys (2023). URL: <https://doi.org/10.1145/3586163>.

NeSy 2023, 17th International Workshop on Neural-Symbolic Learning and Reasoning, Certosa di Pontignano, Siena, Italy

*Corresponding author.

✉ anna.breit@semantic-web.com (A. Breit); laura.waltersdorfer@tuwien.ac.at (L. Waltersdorfer); fajar.ekaputra@wu.ac.at (F.J. Ekaputra); marta.sabou@wu.ac.at (M. Sabou); andreas.ekelhart@univie.ac.at (A. Ekelhart); andreea.iana@uni-mannheim.de (A. Iana); heiko.paulheim@uni-mannheim.de (H. Paulheim); jan.portisch@uni-mannheim.de (J. Portisch); artem.revenko@semantic-web.com (A. Revenko); Frank.van.Harmelen@vu.nl (F. v. Harmelen); annette.ten.teije@vu.nl (A. t. Teije)



© 2023 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

CEUR Workshop Proceedings (CEUR-WS.org)