

Pushing the Limits of Reasoning over Ontologies with Hidden Content* (Extended Version)

Bernardo Cuenca Grau and Boris Motik

Oxford University Computing Laboratory
University of Oxford, UK

Abstract

There is currently a growing interest in techniques for hiding parts of the signature of an ontology \mathcal{K}_h that is being reused by another ontology \mathcal{K}_v . Towards this goal, Cuenca Grau, Motik, and Kazakov (2009) recently proposed the *import-by-query framework*, which makes the content of \mathcal{K}_h accessible through a limited query interface. If \mathcal{K}_v reuses the symbols from \mathcal{K}_h in a certain restricted way, one can reason over $\mathcal{K}_v \cup \mathcal{K}_h$ by accessing only \mathcal{K}_v and the query interface. In this paper, we map out the landscape of the import-by-query problem. We show that certain restrictions of our original framework are strictly necessary to make reasoning possible, we propose extensions that overcome some of the expressivity limitations, we present several novel reasoning algorithms, and we outline the limitations of the new framework.

Introduction

The Web Ontology Language (OWL) and its revision OWL 2 are ontology languages standardized by the W3C, and their formal underpinning is provided by description logics (DLs) (Baader et al. 2007)—knowledge representation formalisms with well understood formal properties. OWL ontologies are often used to provide a shared vocabulary for a family of applications, thus making data exchange between the applications easier. Furthermore, constructing ontologies is a labor-intensive task, so reusing (parts of) well-established ontologies when developing new ones is seen as key to reducing ontology development cost. Consequently, the problem of *ontology reuse* has recently received significant attention (Stuckenschmidt, Parent, and Spaccapietra 2009).

An OWL ontology \mathcal{K}_v can reuse an ontology \mathcal{K}_h via *importing*, and the result is logically equivalent to $\mathcal{K}_v \cup \mathcal{K}_h$. OWL reasoners deal with imports by loading both ontologies and merging their contents, which requires physical access to the axioms of \mathcal{K}_h . The vendor of \mathcal{K}_h , however, might be reluctant to distribute (parts of) the contents of \mathcal{K}_h , as doing so might allow competitors to plagiarize \mathcal{K}_h . Moreover, \mathcal{K}_h might contain information that is sensitive from a privacy point of view. Finally, one might want to impose a varying cost on the reuse of different parts of \mathcal{K}_h . To stipulate that

\mathcal{K}_h should not be publicly available, we call the ontology \mathcal{K}_h *hidden* and, by analogy, we call \mathcal{K}_v *visible*.

Motivated by such scenarios, several approaches to *hiding* a subset of the signature of \mathcal{K}_h have been developed. One approach is to publish an Υ -*interpolant* of \mathcal{K}_h —an ontology that contains no symbols from Υ and that coincides with \mathcal{K}_h on all logical consequences formed using the symbols not in Υ (Konev, Walter, and Wolter 2009). Once an Υ -interpolant has been published, it can be imported into \mathcal{K}_v without any restrictions, and one can reason over the union of \mathcal{K}_v and the Υ -interpolant using off-the-shelf DL reasoners. Such Υ -interpolants, however, exist only for inexpressive DLs and under certain syntactic restrictions; furthermore, they can be of exponential size, which can be problematic in practice.

In our previous work, we proposed an approach in which \mathcal{K}_h is accessible via a limited query interface that we call an *oracle* (Cuenca Grau, Motik, and Kazakov 2009). The oracle advertises a *public* subset Γ of the signature of \mathcal{K}_h , and it can answer queries over \mathcal{K}_h that are expressed in a particular query language and that use only the symbols from Γ . Under certain assumptions, a so-called *import-by-query* algorithm can reason over $\mathcal{K}_v \cup \mathcal{K}_h$ (e.g., determine its satisfiability) without having physical access to the content of \mathcal{K}_h , by only posing queries to the oracle for \mathcal{K}_h . The idea of accessing an ontology through oracles is similar in spirit to the proposal for query answering in a peer-to-peer setting by Calvanese et al. (2004); however, the latter approach focuses on reusing data rather than schema statements.

Our framework minimizes the information flow between \mathcal{K}_v and \mathcal{K}_h . Apart from restricting access to \mathcal{K}_h , reasoning can be performed without \mathcal{K}_h having any access to \mathcal{K}_v , which is beneficial as \mathcal{K}_v might also contain sensitive information. Furthermore, unlike interpolation, our framework does not require materializing an exponentially large Υ -interpolant, and it can be applicable in cases when Υ -interpolants for \mathcal{K}_h do not exist. In contrast to interpolation, however, our framework imposes restrictions on the way \mathcal{K}_v can reuse the public symbols from \mathcal{K}_h .

The formal properties of import-by-query algorithms depend on the oracle query language and the logics used to express \mathcal{K}_v and \mathcal{K}_h . In our previous work, we studied the case when oracles support concept satisfiability queries—that is, when queries are concepts over Γ in the DL of \mathcal{K}_h , for which the oracle determines their satisfiability w.r.t. \mathcal{K}_h .

*Bernardo Cuenca Grau is supported by a Royal Society University Research Fellowship.
Copyright © 2010, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.

We proved that no import-by-query algorithm exists in such a setting even if \mathcal{K}_v and \mathcal{K}_h are expressed in the lightweight description logic \mathcal{EL} (Baader, Brandt, and Lutz 2005). To make reasoning possible, the reuse of the advertised symbols was subjected to the following restrictions.

1. Reuse was required to be modular—that is, \mathcal{K}_v could not change the meaning of the symbols reused from \mathcal{K}_h (Lutz, Walther, and Wolter 2007; Cuenca Grau et al. 2008).
2. Role symbols (i.e., binary predicates) from \mathcal{K}_h could be reused in \mathcal{K}_v only in a particular restricted way.

We presented an import-by-query algorithm that can handle \mathcal{K}_v and \mathcal{K}_h expressed in the DLs $SR\mathcal{OIQ}$ (Kutz, Horrocks, and Sattler 2006) and $SRIQ$ (Horrocks, Kutz, and Sattler 2005), respectively, provided that the mentioned assumptions are satisfied. Our algorithm, however, may issue exponentially many queries to the oracle even if standard reasoning over $\mathcal{K}_v \cup \mathcal{K}_h$ requires only polynomial time.

In this paper, we extend the import-by-query framework in several important ways. To weaken the restrictions on the reuse of the role symbols, we employ a more expressive oracle query language: our queries are ABoxes over the symbols from Γ , for which the oracle decides their satisfiability w.r.t. \mathcal{K}_h . ABox satisfiability has been implemented in most state-of-the-art DL reasoners, so such a query language seems like a natural choice. We then study the formal properties of import-by-query algorithms in such a setting and prove the following novel results.

1. We show that, even with ABox satisfiability oracles, the presence of nominals in \mathcal{K}_h can preclude the existence of an import-by-query algorithm.
2. We prove that modular reuse is strictly necessary—that is, that no import-by-query algorithm exists if \mathcal{K}_v does not reuse the symbols from Γ in a modular way.
3. We present an import-by-query algorithm for the case when both \mathcal{K}_v and \mathcal{K}_h are in \mathcal{EL} and reuse is modular.
4. Depending on the expressivity of \mathcal{K}_v and \mathcal{K}_h , we show that the presence of cyclic axioms can prevent the existence of an import-by-query algorithm.
5. We present an import-by-query algorithm for the case when both \mathcal{K}_v and \mathcal{K}_h are in $\mathcal{ALCHI}\mathcal{Q}$, the reuse is modular, and \mathcal{K}_v satisfies a particular acyclicity restriction.

Our results thus map out the landscape of the import-by-query problem, close several important gaps in our previous work, and provide a starting point for implementation.

The proofs of some of our theorems can be found in the appendix.

Preliminaries

In this section, we recapitulate the DL notation used in this paper and present an overview of the hypertableau reasoning algorithms for DLs (Motik, Shearer, and Horrocks 2009).

Description Logics

We first introduce the description logic $\mathcal{ALCHOIQ}$. A *signature* Σ is a disjoint union of countable sets of *atomic concepts* N_C , *atomic roles* N_R , and *individuals* N_I . A *role* is

either atomic or an *inverse role* R^- for $R \in N_R$. For R and R' roles, a *role inclusion axiom* has the form $R \sqsubseteq R'$. The set of *concepts* is the smallest set containing \top , \perp , A , $\{a\}$, $\neg C$, $C_1 \sqcap C_2$, $C_1 \sqcup C_2$, $\exists R.C$, $\forall R.C$, $\geq n R.C$, and $\leq n R.C$, for A an atomic concept, a an individual, C , C_1 , and C_2 concepts, R a role, and n a nonnegative integer. A *concept inclusion axiom* has the form $C_1 \sqsubseteq C_2$ for C_1 and C_2 concepts, and $C_1 \equiv C_2$ is an abbreviation for $C_1 \sqsubseteq C_2$ and $C_2 \sqsubseteq C_1$. A TBox \mathcal{T} is a finite set of concept and role inclusion axioms. An *assertion* has the form $C(a)$, $R(a, b)$, $\neg R(a, b)$, $a \approx b$, or $a \not\approx b$, for C a concept, R a role, and a, b individuals. An ABox \mathcal{A} is a finite set of assertions. A knowledge base $\mathcal{K} = \mathcal{T} \cup \mathcal{A}$ consists of a TBox \mathcal{T} and an ABox \mathcal{A} . We use standard definitions of a Σ -interpretation I , satisfiability of \mathcal{K} in I , satisfiability of a concept C w.r.t. \mathcal{K} , and other relevant reasoning problems (Baader et al. 2007). For α a concept, a role, an axiom, or a set of axioms, $\text{sig}(\alpha)$ is the *signature* of α —that is, the set of atomic concepts and atomic roles occurring in α .

The DL $\mathcal{ALCHI}\mathcal{Q}$ is obtained from $\mathcal{ALCHOIQ}$ by disallowing *nominal concepts* of the form $\{a\}$. Furthermore, the DL \mathcal{EL} (Baader, Brandt, and Lutz 2005) (resp. \mathcal{FL}_0 (Baader et al. 2007)) supports only concepts of the form \top , \perp , A , $C_1 \sqcap C_2$, and $\exists R.C$ (resp. \top , \perp , A , $C_1 \sqcap C_2$, and $\forall R.C$) for A and R atomic, disallows role inclusion axioms, and supports only assertions of the form $C(a)$ or $R(a, b)$, with C an \mathcal{EL} (resp. \mathcal{FL}_0) concept and R an atomic role.

Hypertableau Algorithms for $\mathcal{ALCHI}\mathcal{Q}$ and \mathcal{EL}

The hypertableau algorithm for $\mathcal{ALCHI}\mathcal{Q}$ starts by preprocessing the input KB into so-called *HT-rules*. Let N_V be a set of variables disjoint with the set of individuals N_I . An *atom* is an expression of the form $C(s)$, $R(s, t)$, or $s \approx t$, where $s, t \in N_V \cup N_I$, C is a concept, and R is a role. A *rule* is an expression of the form

$$U_1 \wedge \dots \wedge U_m \rightarrow V_1 \vee \dots \vee V_n \quad (1)$$

where U_i and V_j are atoms, $m \geq 0$, and $n \geq 0$. The conjunction $U_1 \wedge \dots \wedge U_m$ is called the *body*, and the disjunction $V_1 \vee \dots \vee V_n$ is called the *head*. The empty body and the empty head are written as \top and \perp , respectively. Rules are interpreted as universally quantified FOL implications in the usual way. An *HT-rule* is a rule of the form

$$\bigwedge A_i(x) \wedge \bigwedge R_{ij}(x, y_i) \wedge \bigwedge S_{ij}(y_i, x) \wedge B_{ij}(y_i) \rightarrow \bigvee C_i(x) \vee \bigvee R'_{ij}(x, y_i) \vee \bigvee S'_{ij}(y_i, x) \vee \bigvee D_{ij}(y_i) \vee \bigvee y_i \approx y_j \quad (2)$$

where R_{ij} , S_{ij} , R'_{ij} , and S'_{ij} are atomic roles; A_i , B_{ij} , and D_{ij} are atomic concepts; C_i are either atomic concepts or concepts of the form $\geq n R.A$, or $\geq n R.\neg A$; and each variable y_i occurring in the rule occurs in the rule body. An HT-rule is *Horn* if it contains at most one atom in the head.

Any $\mathcal{ALCHI}\mathcal{Q}$ KB can be transformed into an equisatisfiable set of HT-rules and a *normalized* ABox—that is, an ABox containing only assertions of the form $A(a)$, $\neg A(a)$, $R(a, b)$, or $\neg R(a, b)$ with A and R atomic. The following algorithm checks satisfiability of a set of HT-rules \mathcal{R} and a normalized ABox \mathcal{A} . In the rest of this paper, we treat concepts of the form $\exists R.C$ as abbreviations for $\geq 1 R.C$.

Table 1: Hypertableau Derivation Rules

Derivation Rules for \mathcal{ALCHIQ}	
Hyp-rule	If 1. $\varrho \in \mathcal{R}$ with ϱ of the form (1) and 2. a mapping σ from the variables in ϱ to the individuals in \mathcal{A} exists such that 2.1 $\sigma(x)$ is not indirectly blocked for each $x \in N_V$, 2.2 $\sigma(U_i) \in \mathcal{A}$ for each $1 \leq i \leq m$, and 2.3 $\sigma(V_j) \notin \mathcal{A}$ for each $1 \leq j \leq n$, then $\mathcal{A}_1 = \mathcal{A} \cup \{\perp\}$ if $n = 0$; $\mathcal{A}_j := \mathcal{A} \cup \{\sigma(V_j)\}$ for $1 \leq j \leq n$ otherwise.
\geq -rule	If 1. $\geq n R.C(s) \in \mathcal{A}$ with s not blocked in \mathcal{A} and 2. there are no individuals u_1, \dots, u_n in \mathcal{A} s.t. $\{\text{ar}(R, s, u_i), C(u_i) \mid 1 \leq i \leq n\} \cup$ $\{u_i \not\approx u_j \mid 1 \leq i < j \leq n\} \subseteq \mathcal{A}$, then $\mathcal{A}_1 := \mathcal{A} \cup \{\text{ar}(R, s, t_i), C(t_i) \mid 1 \leq i \leq n\} \cup$ $\{t_i \not\approx t_j \mid 1 \leq i < j \leq n\}$ where t_1, \dots, t_n are fresh successors of s .
\approx -rule	If 1. $s \approx t \in \mathcal{A}$ with $s \neq t$ then $\mathcal{A}_1 := \text{merge}_{\mathcal{A}}(s \rightarrow t)$ if t is named or s is a descendant of t , and $\mathcal{A}_1 := \text{merge}_{\mathcal{A}}(t \rightarrow s)$ otherwise.
\perp -rule	If 1. $s \not\approx s \in \mathcal{A}$ or $\{A(s), \neg A(s)\} \subseteq \mathcal{A}$ or $\{R(s, t), \neg R(s, t)\} \subseteq \mathcal{A}$ with s, t not indirectly blocked and 2. $\perp \notin \mathcal{A}$ then $\mathcal{A}_1 := \mathcal{A} \cup \{\perp\}$.
The \exists -rule for \mathcal{EL}	
\exists -rule	If $\exists R.C(s) \in \mathcal{A}$ and $\{R(s, a_C), C(a_C)\} \not\subseteq \mathcal{A}$ then $\mathcal{A}_1 := \mathcal{A} \cup \{R(s, a_C), C(a_C)\}$

Definition 1. Individuals. For a set of named individuals N_I , the set of all individuals N_X is inductively defined as the smallest set such that $N_I \subseteq N_X$ and, if $x \in N_X$, then $x.i \in N_X$ for each integer i . The individuals $N_X \setminus N_I$ are unnamed. An individual $x.i$ is a successor of x , and x is a predecessor of $x.i$; descendant and ancestor are the transitive closures of successor and predecessor, respectively.

Pairwise Anywhere Blocking. The label $\mathcal{L}_{\mathcal{A}}(s)$ of an individual s and the label $\mathcal{L}_{\mathcal{A}}(s, t)$ of an individual pair $\langle s, t \rangle$ in an ABox \mathcal{A} are defined as follows:

$$\begin{aligned} \mathcal{L}_{\mathcal{A}}(s) &= \{A \mid A(s) \in \mathcal{A} \text{ and } A \text{ is atomic}\} \\ \mathcal{L}_{\mathcal{A}}(s, t) &= \{R \mid R(s, t) \in \mathcal{A}\} \end{aligned}$$

Let \prec be a strict ordering on N_X containing the ancestor relation. By induction on \prec , we assign to each individual s in \mathcal{A} a status as follows:

- s is directly blocked by t iff the following conditions hold, for s' and t' the predecessors of s and t , respectively:
 - s and t are unnamed, t is not blocked, and $t \prec s$;¹
 - $\mathcal{L}_{\mathcal{A}}(s) = \mathcal{L}_{\mathcal{A}}(t)$ and $\mathcal{L}_{\mathcal{A}}(s') = \mathcal{L}_{\mathcal{A}}(t')$; and
 - $\mathcal{L}_{\mathcal{A}}(s, s') = \mathcal{L}_{\mathcal{A}}(t, t')$ and $\mathcal{L}_{\mathcal{A}}(s', s) = \mathcal{L}_{\mathcal{A}}(t', t)$.
- s is indirectly blocked iff its predecessor is blocked.
- s is blocked iff it is either directly or indirectly blocked.

¹When reasoning with $\mathcal{ALCHOIQ}$ knowledge bases, individuals s' and t' are also required to be unnamed; however, this restriction is not needed with \mathcal{ALCHIQ} knowledge bases.

Pruning and Merging. The ABox $\text{prune}_{\mathcal{A}}(s)$ is obtained from \mathcal{A} by removing all assertions containing a descendant of s . The ABox $\text{merge}_{\mathcal{A}}(s \rightarrow t)$ is obtained from $\text{prune}_{\mathcal{A}}(s)$ by replacing s with t in all assertions.

Clash. An ABox \mathcal{A} contains a clash if $\perp \in \mathcal{A}$; otherwise, \mathcal{A} is clash-free.

Derivation Rules. The algorithm consists of the Hyp-, \geq -, \approx -, and \perp -rule from Table 1, which, given \mathcal{R} and a clash-free ABox \mathcal{A} , derive the ABoxes $\langle \mathcal{A}_1, \dots, \mathcal{A}_n \rangle$. In the Hyp-rule, $\sigma(U)$ is obtained from U by replacing each variable x with $\sigma(x)$. For a role R and individuals s and t , the function $\text{ar}(R, s, t)$ returns the assertion $R(s, t)$ if R is atomic, or the assertion $S(t, s)$ if R is an inverse role and $R = S^-$.

Derivation. A derivation for \mathcal{R} and \mathcal{A} is a pair (T, ρ) where T is a finitely branching tree and ρ labels the nodes of T with ABoxes s.t. (i) $\rho(\epsilon) = \mathcal{A}$ for ϵ the root, and (ii) for each node t , if a derivation rule is applicable to \mathcal{R} and $\rho(t)$, then t has children t_1, \dots, t_n s.t. $\langle \rho(t_1), \dots, \rho(t_n) \rangle$ are the result of applying one derivation rule to \mathcal{R} and $\rho(t)$. The algorithm returns \mathbf{t} if some derivation for \mathcal{R} and \mathcal{A} has a leaf node labeled with a clash-free ABox, and \mathbf{f} otherwise.

The hypertableau algorithm for \mathcal{ALCHIQ} can also be applied to \mathcal{EL} KBs. Motik and Horrocks (2008) showed, however, that a worst-case optimal algorithm can be obtained by modifying the \geq -rule. This modified algorithm works on a set \mathcal{R} of \mathcal{EL} -rules—HT-rules of the form (3), where C is either atomic, or of the form $\exists R.A$ with A atomic.

$$\bigwedge_{i=1}^k A_i(x) \wedge \bigwedge_{i=1}^m \left[R_i(x, y_i) \wedge \bigwedge_{j=1}^{m_i} B_{ij}(y_i) \right] \rightarrow C(x) \quad (3)$$

The following algorithm checks satisfiability of $\mathcal{R} \cup \mathcal{A}$, for \mathcal{R} a set of \mathcal{EL} -rules and \mathcal{A} a normalized ABox.

Definition 2. For each named individual $a \in N_I$ and each atomic concept $A \in N_C$, let a_A be a fresh individual that is uniquely associated with a and A . The hypertableau algorithm for \mathcal{EL} follows Definition 1, but the derivation rules include the Hyp-, \perp -, and \exists -rule from Table 1.

Motivating Example and Definitions

To illustrate our framework, consider a medical research company (MRC) that has developed an ontology about human anatomy. The ontology contains concepts describing organs such as **Heart** and **TV** (tricuspid valve); medical conditions such as **CHD** (congenital heart defect), **VSD** (ventricular septum defect), and **AS** (aortic stenosis); and treatments such as **Surgery**. The roles **part**, **con**, and **treatment** relate organs with their parts, medical conditions, and treatments, respectively, and they are used to define concepts such as **VSD_Heart** (a heart with a ventricular septal defect) and **Sur_Heart** (a heart that requires surgical treatment). We focus on reusing schema knowledge, so we assume that the ontology consists only of a TBox \mathcal{T}_h , given in Table 2. MRC wants to freely distribute information about organs and conditions, but wants to charge for the information about treatments. To this end, MRC identifies a set Γ of *public* symbols of \mathcal{T}_h ; we write these symbols in **bold**, and the remaining *private* symbols in sans serif. MRC does

Table 2: Example Knowledge Bases

Hidden Knowledge Base \mathcal{T}_h	
γ_1	Heart \sqsubseteq Organ $\sqcap \exists \text{part.TV}$
γ_2	VSD \sqsubseteq CHD
γ_3	AS \sqsubseteq CHD
γ_4	VSD_Heart \equiv Heart $\sqcap \exists \text{con.VSD}$
γ_5	VSD_Heart $\sqsubseteq \exists \text{treatment.Surgery}$
γ_6	Sur_Heart \equiv Heart $\sqcap \exists \text{treatment.Surgery}$
Visible Knowledge Base \mathcal{K}_v	
δ_1	<i>VSD_Patient</i> \equiv <i>Patient</i> $\sqcap \exists \text{hasOrg.VSD_Heart}$
δ_2	<i>HS_Patient</i> \equiv <i>Patient</i> $\sqcap \exists \text{hasOrg.Sur_Heart}$
δ_3	<i>AS_Patient</i> \equiv <i>Patient</i> \sqcap $\exists \text{hasOrg.}(\mathbf{Heart} \sqcap \exists \text{con.AS})$
δ_4	<i>Ab_TV</i> \sqsubseteq TV
δ_5	<i>Dis_TV</i> \sqsubseteq <i>Ab_TV</i>
δ_6	<i>EA_Heart</i> \equiv VSD_Heart $\sqcap \exists \text{part.Dis_TV}$
δ_7	<i>EA_Patient</i> \equiv <i>Patient</i> $\sqcap \exists \text{hasOrg.EA_Heart}$
δ_8	<i>Ab_TV_Heart</i> \equiv Heart $\sqcap \exists \text{part.Ab_TV}$
δ_9	<i>TVD_Patient</i> \equiv <i>Patient</i> $\sqcap \exists \text{hasOrg.Ab_TV_Heart}$

not want to distribute the axioms of \mathcal{T}_h , as this might allow competitors to copy parts of the ontology.

Consider also a health-care provider (HCP) that reuses \mathcal{T}_h to describe types of patients such as *VSD_Patient* (patients with a ventricular septum defect), *HS_Patient* (patients requiring heart surgery), *AS_Patient* (patients with aortic stenosis), *EA_Patient* (patients with Ebstein’s anomaly), and *TVD_Patient* (patients with a tricuspid valve defect). Since the TBox \mathcal{T}_h does not describe Ebstein’s anomaly, HCP defines *EA_Heart* as a heart with a ventricular septum defect and with a displaced tricuspid valve *Dis_TV*; furthermore, it defines a displaced tricuspid valve as abnormal, and *Ab_TV_Heart* as a heart with an abnormal tricuspid valve. The ontology is shown in Table 2, and its private symbols are written in *italic*. Although our example does not use ABox assertions, we allow the visible ontology to contain such assertions in general, so we denote it with \mathcal{K}_v . HCP can use $\mathcal{T}_h \cup \mathcal{K}_v$ to conclude *VSD_Patient* \sqsubseteq *HS_Patient* (patients with ventricular septum defect require heart surgery) and *EA_Patient* \sqsubseteq *TVD_Patient* (patients with Ebstein’s anomaly are a kind of patients with a tricuspid valve defect).

To support such scenarios, in our previous work we proposed the *import-by-query* framework (Cuenca Grau, Motik, and Kazakov 2009). Instead of publishing (a subset of) the axioms of \mathcal{T}_h , MRC can publish an *oracle* for \mathcal{T}_h —a service that can answer queries over \mathcal{T}_h provided that the queries use only the public symbols of \mathcal{T}_h . We presented an *import-by-query algorithm* that allows HCP to reason over $\mathcal{K}_v \cup \mathcal{T}_h$ by using the axioms of \mathcal{K}_v and the oracle. Our framework was based on oracles that decide the satisfiability of a concept C in the DL of \mathcal{T}_h , provided that $\text{sig}(C) \subseteq \Gamma$. For reasoning to be possible, we imposed the following restrictions:

- R1. \mathcal{T}_h was not allowed to contain nominals.
- R2. The TBox of \mathcal{K}_v had to be modular w.r.t. Γ ; that is, its axioms could not affect the meaning of the symbols in Γ .

- R3. Let a concept C be Γ -modal if, for $R \in \Gamma$, it is of the form $\exists R.C$, $\forall R.C$, $\geq n R.C$, and $\leq n R.C$, and let C be Γ -restricted if $\text{sig}(C) \subseteq \Gamma$; then, we required each Γ -modal concept in \mathcal{K}_v to be Γ -restricted.

Restriction R3 is particularly severe, as it prevents mixing roles from \mathcal{T}_h with concepts from \mathcal{K}_v in modal restrictions. Axioms δ_6 and δ_8 from Table 2 violate this restriction.

To overcome these limitations, in this paper we introduce two new (but closely related) types of oracles, which are more powerful than the oracles based on concept satisfiability. An *ABox satisfiability oracle* is given an ABox \mathcal{A} with $\text{sig}(\mathcal{A}) \subseteq \Gamma$, and it checks the satisfiability of $\mathcal{A} \cup \mathcal{T}_h$. An *ABox entailment oracle* is given an ABox \mathcal{A} and an assertion α with $\text{sig}(\mathcal{A}) \subseteq \Gamma$ and $\text{sig}(\alpha) \subseteq \Gamma$, and it checks whether $\mathcal{A} \cup \mathcal{T}_h \models \alpha$. An ABox entailment oracle can always simulate an ABox satisfiability oracle, and the converse holds provided that \mathcal{A} allows for assertions of the form $\neg C(s)$ and $\neg R(s, t)$. Assertions of the former type are available in many DLs; furthermore, assertions of the latter type can be added to most DLs without any problems, which is why we included such assertions in the definition of the DLs that can do so in the previous section. Therefore, we consider in this paper mainly ABox satisfiability oracles; we use ABox entailment oracles only when the DL of \mathcal{T}_h is Horn and thus does not support assertions of the form $\neg C(s)$.

In practice, it is natural to express a query ABox \mathcal{A} in the same DL as \mathcal{T}_h . To obtain general results about infeasibility of reasoning, however, it is useful to allow the DL of \mathcal{A} to be more expressive than the DL of \mathcal{T}_h , so that \mathcal{K}_v can “learn more about the models of \mathcal{T}_h .” We therefore parameterize our oracles with a DL \mathcal{L} that determines the types of assertions allowed in \mathcal{A} .

Definition 3. Let \mathcal{T}_h be a TBox, \mathcal{L} a description logic, and Γ a signature. An ABox satisfiability oracle $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}^a$ is a function that, for each \mathcal{L} -ABox \mathcal{A} such that $\text{sig}(\mathcal{A}) \subseteq \Gamma$, returns \mathfrak{t} iff $\mathcal{T}_h \cup \mathcal{A}$ is satisfiable. An ABox entailment oracle $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}^e$ is a function that, for each \mathcal{L} -ABox \mathcal{A} such that $\text{sig}(\mathcal{A}) \subseteq \Gamma$ and each \mathcal{L} -assertion α that mentions only the individuals in \mathcal{A} such that $\text{sig}(\alpha) \subseteq \Gamma$, returns \mathfrak{t} iff $\mathcal{T}_h \cup \mathcal{A} \models \alpha$.

An import-by-query algorithm takes as input a knowledge base \mathcal{K}_v and an oracle $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ with $\text{sig}(\mathcal{K}_v) \cap \text{sig}(\mathcal{T}_h) \subseteq \Gamma$, and it terminates after a finite number of computation steps returning \mathfrak{t} iff $\mathcal{K}_v \cup \mathcal{T}_h$ is satisfiable.

We use the generic term *ABox query oracle* (or simply *oracle*) for either an ABox satisfiability or an ABox entailment oracle. Furthermore, if \mathcal{L} is the same as the logic of \mathcal{T}_h , we abbreviate $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ to $\Omega_{\mathcal{T}_h, \Gamma}$.

We finally show that we can without loss of generality assume \mathcal{K}_v to contain no concept that is both Γ -modal and Γ -restricted (such as $\exists \text{con.AS}$ in axiom δ_3). Intuitively, this is because we can always treat such concepts as “atomic” from the point of view of \mathcal{K}_v and rely on the oracle to compute all relevant consequences of such concepts.

Theorem 1. Each import-by-query algorithm applicable to an oracle $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ and an input knowledge base $\mathcal{K}_v \in \mathcal{DL}$ that does not contain concepts that are both Γ -modal and Γ -restricted can be converted into an import-by-query algo-

algorithm that handles input knowledge bases containing such concepts, provided that \mathcal{L} allows for \mathcal{DL} -concepts.

Proof. Let lbQ' be an import-by-query algorithm satisfying the assumptions of the theorem. For C a concept and α a concept, axiom, or knowledge base, let us say that C is Γ -outermost in α if C is Γ -modal and it does not occur in α as a proper subconcept of another Γ -modal subconcept D .

Let $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ be an oracle and $\mathcal{K}_v \in \mathcal{DL}$ a knowledge base that could be handled by lbQ' if each Γ -outermost concept in it were replaced with an atomic concept. Let S be the set of Γ -outermost concepts in \mathcal{K}_v , and let X_C be a fresh atomic concept for each $C \in S$. We define Γ' , \mathcal{T}'_h , and \mathcal{K}'_v as follows: $\Gamma' = \Gamma \cup \{X_C \mid C \in S\}$; \mathcal{K}'_v is obtained from \mathcal{K}_v by replacing each concept $C \in S$ with X_C ; and $\mathcal{T}'_h = \mathcal{T}_h \cup \{X_C \equiv C \mid C \in S\}$.

Clearly, $\mathcal{K}_v \cup \mathcal{T}_h$ is equisatisfiable with $\mathcal{K}'_v \cup \mathcal{T}'_h$, and lbQ' is applicable to $\Omega_{\mathcal{T}'_h, \Gamma', \mathcal{L}}$ and \mathcal{K}'_v . Now let lbQ be the algorithm that on $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ and \mathcal{K}_v behaves as follows.

- lbQ simulates the steps of lbQ' on $\Omega_{\mathcal{T}'_h, \Gamma', \mathcal{L}}$ and \mathcal{K}'_v while treating all concepts in S as if they were atomic.
- Whenever lbQ' queries $\Omega_{\mathcal{T}'_h, \Gamma', \mathcal{L}}$ with an ABox \mathcal{A}' , lbQ queries $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ with an ABox \mathcal{A} obtained from \mathcal{A}' by replacing each concept X_C with C .

Algorithm lbQ clearly returns on $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ and \mathcal{K}_v the same value as lbQ' on $\Omega_{\mathcal{T}'_h, \Gamma', \mathcal{L}}$ and \mathcal{K}'_v ; hence, if \mathcal{L} allows for \mathcal{DL} -concepts, lbQ is an import-by-query algorithm for $\Omega_{\mathcal{T}_h, \Gamma, \mathcal{L}}$ and \mathcal{K}_v . \square

Limits of ABox Query Oracles

In this section we revisit restrictions R1–R3 from our previous work and explore the limitations of the framework based on ABox query oracles. We first justify R1, which was adopted in our previous work for technical reasons, without a formal justification.

Theorem 2. *No import-by-query algorithm based on ABox query oracles exists if \mathcal{K}_v is in a DL without the finite model property and the DL of \mathcal{T}_h provides for nominals and disjunction, even if $\mathcal{L} = \mathcal{ALCHIQ}$ and $\Gamma = \emptyset$.*

Proof. Assume that an import-by-query algorithm exists, and let \mathcal{K}_v be any knowledge base satisfiable only in infinite models. Since the algorithm terminates, the maximum size of the query ABoxes is bounded; furthermore, since these ABoxes are in \mathcal{ALCHIQ} , an integer n depending only on \mathcal{K}_v and Γ exists such that each satisfiable ABox passed to the oracle has a model containing at most n objects. Let $\mathcal{T}_h^1 = \emptyset$ and $\mathcal{T}_h^2 = \{\top \sqsubseteq \{a_1\} \sqcup \dots \sqcup \{a_n\}\}$. Clearly, $\mathcal{K}_v \cup \mathcal{T}_h^1$ is satisfiable, but $\mathcal{K}_v \cup \mathcal{T}_h^2$ is not. Consider now an arbitrary \mathcal{L} -ABox \mathcal{A} such that $\text{sig}(\mathcal{A}) \subseteq \Gamma$. Clearly, $\Omega_{\mathcal{T}_h^1, \Gamma}^a(\mathcal{A}) = \text{t}$ implies $\Omega_{\mathcal{T}_h^2, \Gamma}^a(\mathcal{A}) = \text{t}$, and the converse holds by the monotonicity of first-order logic. Thus, $\Omega_{\mathcal{T}_h^1, \Gamma}^a(\mathcal{A}) = \Omega_{\mathcal{T}_h^2, \Gamma}^a(\mathcal{A})$ for any \mathcal{A} , so our algorithm returns the same result when applied to the oracles for \mathcal{T}_h^1 and \mathcal{T}_h^2 ; however, this contradicts the fact that $\mathcal{K}_v \cup \mathcal{T}_h^1$ is satisfiable but $\mathcal{K}_v \cup \mathcal{T}_h^2$ is not. \square

We next revisit R2. In this paper, we use the *deductive* notion of modularity (Lutz, Walther, and Wolter 2007) and say that \mathcal{K}_v is *modular* w.r.t. Γ if, for all concepts C and D in the DL of \mathcal{K}_v such that $\text{sig}(C) \subseteq \Gamma$ and $\text{sig}(D) \subseteq \Gamma$, $\mathcal{K}_v \models C \sqsubseteq D$ implies $\emptyset \models C \sqsubseteq D$. Previously, we adopted modularity as a “reasonable” assumption, without formal justification. We next present a very strong result: modularity is necessary for the existence of an import-by-query algorithm. Intuitively, without modularity \mathcal{K}_v can arbitrarily influence the models of \mathcal{T}_h , and the oracle cannot take this into account since it has no access to the axioms of \mathcal{K}_v .

Theorem 3. *For any logic \mathcal{DL} containing at least the constructors of \mathcal{EL} and at most the constructors of \mathcal{ALCHIQ} , no import-by-query algorithm based on ABox query oracles exists if \mathcal{K}_v and \mathcal{T}_h are in \mathcal{DL} and $\mathcal{L} = \mathcal{ALCHIQ}$, unless \mathcal{K}_v is modular in the public signature Γ of \mathcal{T}_h .*

Proof. Consider any signature Γ and any \mathcal{ALCHIQ} knowledge base \mathcal{K}_v such that \mathcal{K}_v is not modular w.r.t. Γ . Then, possibly complex \mathcal{DL} concepts C and D exist such that $\text{sig}(C) \subseteq \Gamma$, $\text{sig}(D) \subseteq \Gamma$, $\mathcal{K}_v \models C \sqsubseteq D$, and $\emptyset \not\models C \sqsubseteq D$. Assume now that an import-by-query algorithm exists that terminates on \mathcal{K}_v , Γ , and any \mathcal{T}_h in a DL as specified in the theorem. Without loss of generality, we can assume \mathcal{K}_v to be satisfiable; otherwise, the import-by-query problem is trivial. Let \mathcal{T}_h^1 and \mathcal{T}_h^2 be as follows, where $R \notin \Gamma$ and $A \notin \Gamma$.

$$\begin{aligned} \mathcal{T}_h^1 &= \emptyset \\ \mathcal{T}_h^2 &= \{\top \sqsubseteq \exists R.(A \sqcap C), A \sqcap D \sqsubseteq \perp\} \end{aligned}$$

Clearly, $\mathcal{K}_v \cup \mathcal{T}_h^1$ is satisfiable, but $\mathcal{K}_v \cup \mathcal{T}_h^2$ is not. Consider now an arbitrary \mathcal{L} -ABox \mathcal{A} such that $\text{sig}(\mathcal{A}) \subseteq \Gamma$. If $\mathcal{A} \cup \mathcal{T}_h^1$ is unsatisfiable, so is $\mathcal{A} \cup \mathcal{T}_h^2$. Conversely, assume that $\mathcal{A} \cup \mathcal{T}_h^1$ is satisfiable in a model I . Since $\emptyset \not\models C \sqsubseteq D$, an interpretation I_C and a domain element $x \in \Delta^{I_C}$ exist such that $x \in C^{I_C}$ but $x \notin D^{I_C}$. Let I' be the following interpretation:

$$\begin{aligned} \Delta^{I'} &= \Delta^I \cup \Delta^{I_C} \\ R^{I'} &= \{\langle o, x \rangle \mid o \in \Delta^I\} \\ X^{I'} &= X^I \cup X^{I_C} \text{ for each atomic concept } X \notin \Gamma \\ A^{I'} &= \{x\} \end{aligned}$$

Clearly, $I' \models \mathcal{T}_h^2$; furthermore, since the concepts in \mathcal{A} are in \mathcal{ALCHIQ} and do not contain R , we have $I' \models \mathcal{A}$ as well. Hence, $\Omega_{\mathcal{T}_h^1, \Gamma}^a(\mathcal{A}) = \Omega_{\mathcal{T}_h^2, \Gamma}^a(\mathcal{A})$, which proves our claim as in the proof of Theorem 2. \square

We finally focus on R3. The proof of nonexistence of an import-by-query algorithm from our previous work uses an \mathcal{EL} ontology \mathcal{K}_v that entails a cyclic axiom of the form $A \sqsubseteq \exists R.A$ with $R \in \Gamma$ but $A \notin \Gamma$. We introduced R3 as a possible way of invalidating this proof.

Later in this paper, we provide an import-by-query algorithm based on ABox query oracles for \mathcal{K}_v and \mathcal{T}_h in \mathcal{EL} , and where R3 is not required to hold. This shows the advantage of ABox-based over concept-based oracles. However, we next show that ABox query oracles are not sufficiently expressive if it is allowed to \mathcal{T}_h contain universal quantifiers.

Theorem 4. *No import-by-query algorithm based on ABox query oracles exists for \mathcal{K}_v in \mathcal{EL} and \mathcal{T}_h in \mathcal{FL}_0 , even if the TBox of \mathcal{K}_v is modular, \mathcal{T}_h is Horn, and $\mathcal{L} = \mathcal{ALCHIQ}$.*

Proof. Assume that an import-by-query algorithm exists, and let $\mathcal{K}_v = \{A(a), Z(a), A \sqsubseteq \exists R.A\}$ and $\Gamma = \{R, Z\}$. The TBox of \mathcal{K}_v is modular w.r.t. Γ : for each interpretation I for Γ , the interpretation J such that $X^J = X^I$ for each $X \in \Gamma$ and $X^J = \emptyset$ for each $X \notin \Gamma$ is a model of the TBox of \mathcal{K}_v , which implies deductive modularity.

Since the algorithm terminates on Γ and \mathcal{K}_v , there is a bound on the number of questions posed to an oracle that depends only on Γ and \mathcal{K}_v . Thus, the number of individuals (resp. the number of existentially quantified concepts) in each ABox passed to the oracle is bounded by some integer n (resp. m). Let $k = n + m + 1$ and let C_1, \dots, C_k be distinct and fresh atomic concepts. Consider the following Horn- \mathcal{FL}_0 TBoxes:

$$\begin{aligned} \mathcal{T}_h^1 &= \{C_i \sqcap C_j \sqsubseteq \perp \mid 1 \leq i < j \leq k\} \cup \{Z \sqsubseteq C_1\} \cup \\ &\quad \{C_{i-1} \sqsubseteq \forall R.C_i \mid 1 < i \leq k\} \cup \{C_k \sqsubseteq \forall R.C_1\} \\ \mathcal{T}_h^2 &= \mathcal{T}_h^1 \cup \{C_k \sqsubseteq \perp\} \end{aligned}$$

Clearly, $\mathcal{K}_v \cup \mathcal{T}_h^1$ is satisfiable, whereas $\mathcal{K}_v \cup \mathcal{T}_h^2$ is not. We next show that, for each \mathcal{L} -ABox \mathcal{A} with $\text{sig}(\mathcal{A}) \subseteq \Gamma$ with at most n individuals and concepts of quantifier depth at most m , we have $\Omega_{\mathcal{T}_h^1, \Gamma}^{\mathcal{A}}(\mathcal{A}) = \Omega_{\mathcal{T}_h^2, \Gamma}^{\mathcal{A}}(\mathcal{A})$, which proves our claim as in the proof of Theorem 2. Due to the monotonicity of first-order logic, satisfiability of $\mathcal{A} \cup \mathcal{T}_h^1$ implies satisfiability of $\mathcal{A} \cup \mathcal{T}_h^2$, and we next show the converse. We say that an individual c in \mathcal{A} is j steps away from b_0 if $\{Z(b_0), R(b_0, b_1), \dots, R(b_{j-1}, b_j)\} \subseteq \mathcal{A}$ for some individuals b_1, \dots, b_j with $b_j = c$; in such a case, we have $\mathcal{A} \cup \mathcal{T}_h^1 \models C_j(c)$. Let \mathcal{R}_h^1 and \mathcal{A}' be the result of transforming \mathcal{T}_h^1 and \mathcal{A} into HT-rules. Since the algorithm from Definition 1 is sound and complete, there is a clash-free ABox \mathcal{A}'' labeling a leaf of a derivation for \mathcal{R}_h^1 and \mathcal{A}' . Since \mathcal{A} contains at most m existentially quantified concepts, \mathcal{A}'' contains at most m unnamed individuals. But then, $\mathcal{A}'' \cup \mathcal{T}_h^2$ can only be unsatisfiable if individuals b and c exist such that c is k steps away from b . Since \mathcal{A} contains at most $n + m$ individuals and $n + m < k$, an individual d exists that is both j_1 and j_2 steps away from b , where $j_1 \neq j_2$. But then, $\mathcal{A}'' \cup \mathcal{T}_h^1$ is unsatisfiable, and $\mathcal{A} \cup \mathcal{T}_h^1$ is unsatisfiable as well, which is a contradiction. \square

The proof of Theorem 4 again assumes that \mathcal{K}_v entails an axiom $A \sqsubseteq \exists R.A$ with $R \in \Gamma$ and $A \notin \Gamma$, which implies $A \sqsubseteq \exists R^n.A$ for arbitrary n . Through universal quantification, \mathcal{T}_h can now “propagate” information along an R -chain to an unknown level m . An import-by-query algorithm cannot determine up to which depth the model of \mathcal{K}_v needs to be examined, which prevents termination. Later in this paper, we present a sufficient acyclicity restriction on the axioms of \mathcal{K}_v that bounds n and thus ensures termination.

Finally, the proof of the following theorem shows that acyclicity and modularity are not sufficient if \mathcal{K}_v can propagate statements about the symbols private to \mathcal{K}_v into a model of \mathcal{T}_h ; this can be achieved, for example, using universal quantifiers. In a subsequent section, we introduce a safety

condition that prevents such propagation and, ultimately, allows us to devise an import-by-query algorithm.

Theorem 5. *No import-by-query algorithm based on ABox query oracles exists for \mathcal{K}_v in \mathcal{FL}_0 and \mathcal{T}_h in \mathcal{EL} , even if the TBox of \mathcal{K}_v is modular and $\mathcal{L} = \mathcal{ALCHIQ}$.*

Proof. Assume that an algorithm exists. Let $\Gamma = \{R, B, Z\}$ and let $\mathcal{K}_v = \{A(a), Z(a), A \sqsubseteq \forall R.A, A \sqsubseteq B\}$. That the TBox of \mathcal{K}_v is modular w.r.t. Γ can be shown as in the proof of Theorem 4. Since the algorithm terminates, there is a bound on the number of oracle queries that depends only on Γ and \mathcal{K}_v . Let n be maximum quantifier depth of an \mathcal{L} -concept in a query ABox, and let \mathcal{T}_h^1 and \mathcal{T}_h^2 be as follows:

$$\mathcal{T}_h^1 = \{Z \sqsubseteq \underbrace{\exists R \dots \exists R}_{n+1 \text{ times}} . D\} \quad \mathcal{T}_h^2 = \mathcal{T}_h^1 \cup \{B \sqcap D \sqsubseteq \perp\}$$

Clearly, $\mathcal{K}_v \cup \mathcal{T}_h^1$ is satisfiable, whereas $\mathcal{K}_v \cup \mathcal{T}_h^2$ is not. We show that $\Omega_{\mathcal{T}_h^1, \Gamma, \mathcal{L}}^{\mathcal{A}}(\mathcal{A}) = \Omega_{\mathcal{T}_h^2, \Gamma, \mathcal{L}}^{\mathcal{A}}(\mathcal{A})$ for each \mathcal{L} -ABox \mathcal{A} with $\text{sig}(\mathcal{A}) \subseteq \Gamma$ and with concepts of quantifier depth at most n . This clearly holds if $\mathcal{T}_h^1 \cup \mathcal{A}$ is unsatisfiable, so assume that $\mathcal{T}_h^1 \cup \mathcal{A}$ is satisfiable. Let \mathcal{R}_h^1 and \mathcal{A}' be the result of transforming \mathcal{T}_h^1 and \mathcal{A} into a set of HT-rules and a normalized ABox. Since the algorithm from Definition 1 is sound and complete, there is a clash-free ABox \mathcal{A}'' labeling a leaf of a derivation for \mathcal{R}_h^1 and \mathcal{A}' . Since D does not occur in \mathcal{A}' , if $D(s) \in \mathcal{A}''$, then s is at least $n + 1$ steps away from any individual a such that $Z(a) \in \mathcal{A}''$. Since \mathcal{A} contains concepts with quantifier depth at most n , we have that $D(s) \in \mathcal{A}''$ implies $B(s) \notin \mathcal{A}''$; but then, no derivation rule is applicable to $\mathcal{R}_h^2 \cup \mathcal{A}''$ for \mathcal{R}_h^2 the result of transforming \mathcal{T}_h^2 into HT-rules, so $\mathcal{T}_h^2 \cup \mathcal{A}$ is satisfiable. Thus, $\Omega_{\mathcal{T}_h^1, \Gamma, \mathcal{L}}^{\mathcal{A}}(\mathcal{A}) = \Omega_{\mathcal{T}_h^2, \Gamma, \mathcal{L}}^{\mathcal{A}}(\mathcal{A}) = \text{t}$, which proves our claim as in the proof of Theorem 2. \square

Import-by-Query Algorithms

We next identify positive cases for which an import-by-query algorithm exists. For simplicity, in all algorithms we assume that \mathcal{K}_v does not contain concepts that are both Γ -modal and Γ -restricted; by Theorem 1 this is without loss of generality. Our algorithms extend the hypertableau algorithms for \mathcal{ALCHIQ} and \mathcal{EL} given in the preliminaries.

Import-by-Query in \mathcal{EL}

In this section we present an import-by-query algorithm based on ABox entailment oracles that is applicable when \mathcal{K}_v and \mathcal{T}_h are in \mathcal{EL} . The only relevant negative result is given in Theorem 3, so \mathcal{K}_v must be modular w.r.t. Γ . We use a stronger condition and require \mathcal{K}_v to be *local* w.r.t. Γ ; for \mathcal{K}_v in \mathcal{EL} , this is the case if $\text{sig}(C) \not\subseteq \Gamma$ for each concept inclusion $C \sqsubseteq D \in \mathcal{K}_v$ (Cuenca Grau et al. 2008). While the design of an import-by-query algorithm that requires only modularity is an open problem, we do not believe locality to be a severe limitation in practice: determining modularity of \mathcal{K}_v w.r.t. Γ is EXPTIME-complete (Lutz and Wolter 2009), and no practical algorithm is presently known. Note that our running example satisfies the locality requirement.

Our algorithm is based on the hypertableau framework, so \mathcal{K}_v must first be converted into a set \mathcal{R}_v of \mathcal{EL} -rules and a

normalized ABox \mathcal{A}_v . It is straightforward to see that, if \mathcal{K}_v is local and does not contain concepts that are Γ -modal and Γ -restricted, then \mathcal{R}_v is \mathcal{EL} -safe, as specified next.

Definition 4. A set \mathcal{R}_v of \mathcal{EL} -rules is \mathcal{EL} -safe w.r.t. a signature Γ if, for each rule $\varrho \in \mathcal{R}_v$,

- ϱ contains a body atom α such that $\text{sig}(\alpha) \notin \Gamma$, and
- for each body atom in ϱ of the form $R(x, y_i)$ with $R \in \Gamma$, there is a body atom in ϱ of the form $B(y_i)$ with $B \notin \Gamma$.

Our algorithm takes a set \mathcal{R}_v of \mathcal{EL} -safe rules and a normalized ABox \mathcal{A}_v . It applies the standard \mathcal{EL} hypertableau derivation rules, as well as an additional rule that, given an ABox \mathcal{A}_i in a derivation, asks the oracle to “complete” \mathcal{A}_i with the relevant assertions entailed by $\mathcal{T}_h \cup \mathcal{A}_i$.

Definition 5. The \mathcal{EL} Ω^e -algorithm takes a set \mathcal{R}_v of \mathcal{EL} -rules, a normalized ABox \mathcal{A}_v , and an ABox entailment oracle $\Omega_{\mathcal{T}_h, \Gamma}^e$ such that \mathcal{R}_v is \mathcal{EL} -safe w.r.t. Γ . The algorithm is obtained by extending the algorithm in Definition 2 with the following derivation rule, where $\mathcal{A}|_{\Gamma}$ is constructed from \mathcal{A} by removing each assertion $\alpha \in \mathcal{A}$ such that $\text{sig}(\alpha) \not\subseteq \Gamma$:

(Ω^e -rule): If for some $C \in \Gamma \cup \{\perp\}$ and individual s in \mathcal{A} we have $\Omega_{\mathcal{T}_h, \Gamma}^e(\mathcal{A}|_{\Gamma}, C(s)) = \text{t}$ and $C(s) \notin \mathcal{A}$, then $\mathcal{A}_1 := \mathcal{A} \cup \{C(s)\}$.

Our algorithm is indeed an import-by-query algorithm, and it can be implemented to run in polynomial time, as shown by the following theorem.

Theorem 6. The \mathcal{EL} Ω^e -algorithm is an import-by-query algorithm and it can be implemented such that it runs in time polynomial in the size of $\mathcal{R}_v \cup \mathcal{A}_v$ with a polynomial number of calls to $\Omega_{\mathcal{T}_h, \Gamma}^e$.

We next explain the intuition behind this result. The \mathcal{EL} Ω^e -algorithm is deterministic, so each derivation of the algorithm has a single leaf node labeled with a uniquely defined ABox \mathcal{A}^e . We prove that $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{T}_h$ is satisfiable iff $\perp \notin \mathcal{A}^e$. To this end, let \mathcal{R}_h be the result of transforming \mathcal{T}_h into \mathcal{EL} -rules, and let $\mathcal{A}^{\mathcal{EL}}$ be the ABox obtained by applying the standard \mathcal{EL} hypertableau algorithm to \mathcal{R}_v , \mathcal{A}_v , and \mathcal{R}_h . Since the latter algorithm is sound and complete, it suffices to show that $\perp \in \mathcal{A}^e$ iff $\perp \in \mathcal{A}^{\mathcal{EL}}$. It is straightforward to see that $\mathcal{A}^e \subseteq \mathcal{A}^{\mathcal{EL}}$; thus, $\perp \in \mathcal{A}^e$ implies $\perp \in \mathcal{A}^{\mathcal{EL}}$. For the converse, we prove that $\mathcal{A}^{\mathcal{EL}} \subseteq \mathcal{A}^e \cup \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$, where $\text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$ is the result of applying the standard \mathcal{EL} algorithm to $\mathcal{A}^e|_{\Gamma}$ and \mathcal{R}_h ; in other words, we show that the assertions in $\mathcal{A}^{\mathcal{EL}} \setminus \mathcal{A}^e$ can be obtained by applying the standard \mathcal{EL} algorithm to $\mathcal{A}^e|_{\Gamma}$ and \mathcal{R}_h . Intuitively, this can be done for two reasons: first, the Ω^e -rule “transfers” all relevant consequences of \mathcal{R}_h from $\mathcal{A}^{\mathcal{EL}}$ into \mathcal{A}^e ; and second, \mathcal{EL} -safety ensures that the \mathcal{EL} -rules in \mathcal{R}_v do not propagate information from the visible into the hidden part.

We illustrate these ideas by means of an example. Let $\Gamma = \{C, R, S\}$ and let \mathcal{R}_v and \mathcal{T}_h be defined as follows:

$$\begin{aligned} \mathcal{R}_v &= \{ A(x) \rightarrow \exists R.B(x), \quad B(x) \rightarrow \exists S.A(x), \\ &\quad A(x) \wedge C(x) \rightarrow \exists T.C(x) \} \\ \mathcal{T}_h &= \{ \exists R.\top \sqsubseteq C, \quad C \sqsubseteq \exists S.D \} \end{aligned}$$

Figure 1(a) shows the ABox \mathcal{A}^e obtained by applying the \mathcal{EL} Ω^e -algorithm to \mathcal{R}_v and \mathcal{T}_h . Note that the Ω^e -rule introduces assertion $C(a_A)$ into \mathcal{A}^e . Figure 1(b) shows the ABox obtained by applying the standard \mathcal{EL} algorithm to \mathcal{R}_h and $\mathcal{A}^e|_{\Gamma}$; this ABox contains the assertions necessary to satisfy \mathcal{T}_h . Finally, Figure 1(c) shows the final ABox $\mathcal{A}^{\mathcal{EL}}$. Due to \mathcal{EL} -safety, assertions $S(a_A, a_D)$ and $S(a_C, a_D)$ cannot trigger an application of an \mathcal{EL} -rule in \mathcal{R}_v ; hence, the \mathcal{EL} -rules in \mathcal{R}_v are “confined” to individuals a_A , a_B , and a_C , for which the Ω^e -rule adds all relevant assertions to \mathcal{A}^e .

Import-by-Query in \mathcal{ALCHIQ}

In this section we present an import-by-query algorithm based on ABox satisfiability oracles that is applicable to \mathcal{K}_v and \mathcal{T}_h in \mathcal{ALCHIQ} . Our algorithm is based on the hypertableau framework, so \mathcal{K}_v must first be converted into a set \mathcal{R}_v of HT-rules and a normalized ABox \mathcal{A}_v . To ensure modularity as required by Theorem 3, we require \mathcal{R}_v to satisfy the safety condition from Definition 4. We next devise further restrictions on \mathcal{R}_v that allow us to overcome the negative results of Theorems 4 and 5.

Safety and Acyclicity To overcome the negative result of Theorem 5, we extend the notion of safety to prevent the transfer of information private to \mathcal{R}_v into \mathcal{T}_h . This prevents, for example, \mathcal{K}_v from containing axioms of the form $A \sqsubseteq \forall R.B$ where $R \in \Gamma$ and $\{A, B\} \cap \Gamma = \emptyset$.

Definition 6. A set of HT-rules \mathcal{R}_v is HT-safe w.r.t. a signature Γ if each rule $\varrho \in \mathcal{R}_v$ is \mathcal{EL} -safe w.r.t. Γ and, in addition, for each atom in the body of ϱ of the form $R(x, y_i)$ or $R(y_i, x)$ with $R \in \Gamma$, the body of ϱ contains atoms of the form $A(x)$ and $B(y_i)$ such that $A \notin \Gamma$ and $B \notin \Gamma$.

As to the negative result of Theorem 4, note that this result relies on the fact that the visible knowledge base can entail a cyclic axiom $A \sqsubseteq \exists R.A$ with $R \in \Gamma$ and $A \notin \Gamma$. We next present a sufficient test for the detection of such cycles. The test first constructs a graph-like structure G that “summarizes” the models of $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}_v$; more precisely, the projection of each model of $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}_v$ to the symbols in $\text{sig}(\mathcal{R}_v)$ can always be homomorphically embedded into G . The structure G satisfies the conditions from Table 3. Intuitively, since the axioms of \mathcal{T}_h are not physically available, Conditions 4–7 reflect in G any possible consequence of \mathcal{T}_h . Conditions 1–3 reflect in G the information that could be derived using $\mathcal{R}_v \cup \mathcal{A}_v$ and the possible consequences of \mathcal{T}_h . The proof of Proposition 1 shows that G can be obtained from \mathcal{R}_v and \mathcal{A}_v as the least fixpoint of a monotonic operator that mimics the conditions from Table 3.

Definition 7. Let Γ be a signature, \mathcal{R} a set of HT-rules, \mathcal{A} an ABox, and let $V = V_1 \cup V_2$ be defined as follows:

$$\begin{aligned} V_1 &= \{ v_a \mid a \text{ is an individual occurring in } \mathcal{A} \} \\ V_2 &= \{ v_A, v_{\neg A} \mid A \text{ is a concept in } \text{sig}(\mathcal{R}) \cup \text{sig}(\mathcal{A}) \} \end{aligned}$$

A structure $G = (\sim, E, \lambda)$ for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ is a triple with the following elements:

- \sim is an equivalence relation on V . Let W be the set of equivalence classes of \sim and $[\cdot]_{\sim} : V \rightarrow W$ the function that assigns to each $v \in V$ its equivalence class $[v]_{\sim}$.




Figure 1: An Illustration of the Completeness Argument for the $\mathcal{EL} \Omega^e$ -Algorithm

Table 3: Conditions for Structure Stability

1. $C \in \lambda([v_a]_{\sim})$ for each $C(a) \in \mathcal{A}$; $R \in \lambda([v_a]_{\sim}, [v_b]_{\sim})$ for each $R(a, b) \in \mathcal{A}$; and $A \in \lambda([v_A]_{\sim})$ and $\neg A \in \lambda([v_{\neg A}]_{\sim})$ for each $A \in \text{sig}(\mathcal{R}) \cup \text{sig}(\mathcal{A})$.
2. If $\geq n R.C \in \lambda(w)$, then $\langle w, [v_C]_{\sim} \rangle \in E$ and
 - $R \in \lambda(w, [v_C]_{\sim})$ if R is an atomic role, or
 - $S \in \lambda([v_C]_{\sim}, w)$ if R is an inverse role with $R = S^-$.
3. For each $\varrho \in \mathcal{R}$ of the form (2) and each $w, w_1, \dots, w_n \in W$, if for all body atoms of ϱ we have $A_i \in \lambda(w)$, $R_{ij} \in \lambda(w, w_i)$, $S_{ij} \in \lambda(w_i, w)$, and $B_{ij} \in \lambda(w_i)$, then for each head atom of ϱ we have $C_i \in \lambda(w)$, $R'_{ij} \in \lambda(w, w_i)$, $S'_{ij} \in \lambda(w_i, w)$, $D_{ij} \in \lambda(w_i)$, and $w_i = w_j$.
4. $A \in \lambda(w)$ and $\neg A \in \lambda(w)$ for each $w \in W$ and $A \in \Gamma$.
5. If $R' \in \lambda(w, w')$ for some $R' \in \Gamma$, then $R \in \lambda(w, w')$ for each $R \in \Gamma$.
6. If $R \in \lambda(w, w')$ for some $R \in \Gamma$, then $R \in \lambda(w', w)$.
7. If, for some $R \in \Gamma$ and $R' \in \Gamma$, we have that $R \in \lambda(w, w_1)$ and $R' \in \lambda(w, w_2)$, or $R \in \lambda(w, w_1)$ and $R' \in \lambda(w_2, w)$, or $R \in \lambda(w_1, w)$ and $R' \in \lambda(w_2, w)$, then $w_1 = w_2$.

- $E \subseteq W \times W$ is a relation on W .
- λ is a function that assigns to each $w \in W$ a possibly empty set of concepts $\lambda(w)$ and each $\langle w, w' \rangle \in W \times W$ a possibly empty set of atomic roles $\lambda(w, w')$.

A structure $G = (\sim, E, \lambda)$ for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ is stable if it satisfies the conditions in Table 3.

We define the partial order \leq on structures such that, for $G_1 = (\sim_1, E_1, \lambda_1)$ and $G_2 = (\sim_2, E_2, \lambda_2)$, we have $G_1 \leq G_2$ iff $\sim_1 \subseteq \sim_2$ and, for each $v, v' \in V$,

- $\langle [v]_{\sim_1}, [v']_{\sim_1} \rangle \in E_1$ implies $\langle [v]_{\sim_2}, [v']_{\sim_2} \rangle \in E_2$,
- $\lambda_1([v]_{\sim_1}) \subseteq \lambda_2([v]_{\sim_2})$, and
- $\lambda_1([v]_{\sim_1}, [v']_{\sim_1}) \subseteq \lambda_2([v]_{\sim_2}, [v']_{\sim_2})$.

A dependency structure is each smallest structure (w.r.t. \leq) that is stable for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ .

Proposition 1. The dependency structure for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ is unique.

Proof (Sketch). We define an operator T that maps a structure $G_1 = (\sim_1, E_1, \lambda_1)$ into a structure $G_2 = (\sim_2, E_2, \lambda_2)$. Let W_1 be the set of equivalence classes of \sim_1 . The structure G_2 is obtained by initially setting $G_2 := G_1$ and then modifying G_2 as follows:

- λ_2 is extended such that it satisfies Conditions 1 and 4 from Table 3.
- For each $w \in W_1$ and each concept $\geq n R.C \in \lambda_1(w)$, the pair $\langle w, [v_C]_{\sim_1} \rangle$ is added to E_2 ; if R is atomic, then R is added to $\lambda_2(w, [v_C]_{\sim_1})$; and if R is of the form S^- with S atomic, then S is added to $\lambda_2([v_C]_{\sim_1}, w)$.
- For each HT-rule $\varrho \in \mathcal{R}$ of the form (2) and each $w, w_1, \dots, w_n \in W_1$ such that, for each body atom of ϱ , we have $A_i \in \lambda_1(w)$, $R_{ij} \in \lambda_1(w, w_i)$, $S_{ij} \in \lambda_1(w_i, w)$, and $B_{ij} \in \lambda_1(w_i)$, the following modifications are performed for each head atom of ϱ : C_i is added to $\lambda_2(w)$, D_{ij} is added to $\lambda_2(w_i)$, R'_{ij} is added to $\lambda_2(w, w_i)$, S'_{ij} is added to $\lambda_2(w_i, w)$, and relation \sim_2 is extended such that w_i becomes equal to w_j .
- For each $w, w' \in W_1$ such that $R' \in \lambda_1(w, w')$ for some $R' \in \Gamma$, R is added to $\lambda_2(w, w')$ for each $R \in \Gamma$.
- For each $w, w' \in W_1$ such that $R \in \lambda_1(w, w')$ for some $R \in \Gamma$, R is added to $\lambda_2(w', w)$.
- For each $w, w_1, w_2 \in W_1$ such that $R \in \lambda_1(w, w_1)$ and $R' \in \lambda_1(w, w_2)$, or $R \in \lambda_1(w, w_1)$ and $R' \in \lambda_1(w_2, w)$, or $R \in \lambda_1(w_1, w)$ and $R' \in \lambda_1(w_2, w)$ for some $R \in \Gamma$ and $R' \in \Gamma$, relation \sim_2 is extended such that w_1 becomes equal to w_2 .

It is straightforward to check that T is monotone on the lattice of all structures for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ , and that if $T(G) = G$, then G is stable. Thus, by the well-known Knaster-Tarski theorem, T has a unique least fixpoint, which corresponds to the dependency structure for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ . \square

Our test then checks whether the dependency structure G for \mathcal{R}_v and \mathcal{A}_v contains a “harmful cycle”—that is, a cycle that is not confined to \mathcal{A}_v and that involves only roles from Γ . Proposition 2 shows that the overall check can be performed in polynomial time.

Definition 8. Let G be the dependency structure for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ . A pair $\langle w, w' \rangle \in W \times W$ is harmful in G if $\langle w, w' \rangle \in E$, $w \cap V_2 \neq \emptyset$, $w' \cap V_2 \neq \emptyset$, and an atomic role $R \in \Gamma$ exists such that $R \in \lambda(w, w')$ or $R \in \lambda(w', w)$. A structure G contains a harmful cycle if $w_1, \dots, w_n \in W$ exist such that $\langle w_i, w_j \rangle$ is harmful for each $1 \leq i \leq n$ and $j = i + 1 \pmod n$; furthermore, G is acyclic if it does not contain a harmful cycle. Finally, $\mathcal{R} \cup \mathcal{A}$ is acyclic w.r.t. Γ if the dependency structure for $\mathcal{R} \cup \mathcal{A}$ and Γ is acyclic.




Figure 2: Dependency Structures and Acyclicity

Proposition 2. *Acyclicity of $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ can be checked in polynomial time.*

Proof (Sketch). Let V be as specified in Definition 7, let $G = (\sim, E, \lambda)$ be a structure for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ , let W be the set of equivalence classes of \sim , and let $|G|$ be the size of G (which we assume to be defined in a straightforward way). Since $|V|$ is linear in the size of \mathcal{R} , \mathcal{A} , and Γ , we have that $|W|$ is linear, and $|G|$ is polynomial. The structure $T(G)$ can be computed in polynomial time. The only nontrivial case is the third item in the definition of T , which requires matching an HT-rule $\varrho \in \mathcal{R}$ to G . Let n be the number of variables in ϱ . Each consequent atom has at most two variables and the body atoms of ϱ are connected in a tree-like manner, so the relevant consequent atoms of ϱ can be computed in at most $|V|^2 \times n$ steps. Thus, the dependency structure for $\mathcal{R} \cup \mathcal{A}$ w.r.t. Γ can be computed by polynomially many applications of T , each which can be computed in polynomial time. \square

The acyclicity condition significantly relaxes condition R3 from our previous work; for example, it allows us to express axioms δ_6 and δ_8 from Table 2. Intuitively, it ensures that “canonical” models of $\mathcal{R}_v \cup \mathcal{A}_v$ (i.e., models containing the least possible information derivable from $\mathcal{R}_v \cup \mathcal{A}_v$) do not contain infinite chains of roles from Γ . We use this fact in our algorithm to define a suitable blocking condition. We explain this intuition on an example where $\Gamma = \{C, R, T\}$, $\mathcal{A}_v = \{A(a)\}$, and \mathcal{R}_v contains the HT-rules (4)–(9).

$$A(x) \rightarrow \exists R.B(x) \quad (4)$$

$$A(x) \rightarrow \exists S.B(x) \quad (5)$$

$$A(x) \rightarrow \exists S.C(x) \quad (6)$$

$$S(x, y) \wedge S(x, z) \rightarrow y \approx z \quad (7)$$

$$B(x) \wedge C(x) \rightarrow \exists S.A(x) \quad (8)$$

$$R(x, y) \wedge C(y) \rightarrow \exists T.D(x) \quad (9)$$

Figure 2(a) shows a canonical model I of $\mathcal{R}_v \cup \mathcal{A}_v$, and Figure 2(c) shows the relevant part of the corresponding dependency structure G (for simplicity, we do not show the part of the structure corresponding to \mathcal{A}_v). The repetitive structure of I is represented in G as a cycle over nodes u and v . Since $S \notin \Gamma$, this cycle is not harmful, and $R_v \cup \mathcal{A}_v$ is acyclic w.r.t. Γ . Note, however, that a dependency structure overestimates the canonical models; for example, G contains a link between u and w labeled with T , which is not reflected in I . This becomes important if, for example, we extend R_v with the HT-rule (10). This extension clearly does not change the canonical models of $R_v \cup \mathcal{A}_v$; however, the new dependency structure, shown in Figure 2(d), contains a harmful cycle. This is the price we pay for a polynomial acyclicity test: a more detailed acyclicity check could enumerate all canonical models, but this would often require (at least) exponential time. Nevertheless, dependency structures provide us with a sufficient check. For example, assume that we extended \mathcal{R}_v with the HT-rule (11). The corresponding dependency structure, shown in 2(e), contains a self-loop in u , which is harmful; this reflects the infinite R -chain in the canonical model shown in Figure 2(b).

$$D(x) \rightarrow \exists R.A(x) \quad (10)$$

$$S(x, y) \wedge C(y) \rightarrow \exists R.A(x) \quad (11)$$

An Import-by-Query Algorithm We next present our import-by-query algorithm that assumes $\mathcal{R}_v \cup \mathcal{A}_v$ to be HT-safe and acyclic w.r.t. Γ . We modify the standard hyper-tableau algorithm in three ways. First, we introduce several cut rules that nondeterministically guess all “relevant” assertions involving the symbols in Γ . Second, we use the Ω^a -rule to check whether the guesses related to Γ are indeed consistent with \mathcal{T}_h . Third, we use a relaxed blocking condition.

Definition 9. *The $ALCHIQ$ Ω^a -algorithm takes an oracle $\Omega_{\mathcal{T}_h, \Gamma}^a$ for \mathcal{T}_h an $ALCHIQ$ TBox, a normalized ABox \mathcal{A}_v ,*

Table 4: Additional Rules

A-cut	If 1. s is not indirectly blocked in \mathcal{A} and 2. $\{A(s), \neg A(s)\} \cap \mathcal{A} = \emptyset$ with $A \in \Gamma$ then $\mathcal{A}_1 := \mathcal{A} \cup \{A(s)\}$ and $\mathcal{A}_2 := \mathcal{A} \cup \{\neg A(s)\}$.
R-cut	If 1. s and t are not indirectly blocked in \mathcal{A} , 2. $R'(s, t) \in \mathcal{A}$ with $R' \in \Gamma$, and 3. $\{R(s, t), \neg R(s, t)\} \cap \mathcal{A} = \emptyset$ with $R \in \Gamma$ then $\mathcal{A}_1 := \mathcal{A} \cup \{R(s, t)\}$ and $\mathcal{A}_2 := \mathcal{A} \cup \{\neg R(s, t)\}$.
R ⁻ -cut	If 1. s and t are not indirectly blocked in \mathcal{A} , 2. $R(s, t) \in \mathcal{A}$ with $R \in \Gamma$, and 3. $\{R(t, s), \neg R(t, s)\} \cap \mathcal{A} = \emptyset$, then $\mathcal{A}_1 := \mathcal{A} \cup \{R(t, s)\}$ and $\mathcal{A}_2 := \mathcal{A} \cup \{\neg R(t, s)\}$.
\approx -cut	If 1. s, s_1, s_2 are not indirectly blocked in \mathcal{A} and atomic roles $R, R' \in \Gamma$ exist such that 1.1 $\{R(s, s_1), R'(s, s_2)\} \subseteq \mathcal{A}$ or 1.2 $\{R(s, s_1), R'(s_2, s)\} \subseteq \mathcal{A}$ or 1.3 $\{R(s_1, s), R'(s_2, s)\} \subseteq \mathcal{A}$ then $\mathcal{A}_1 := \mathcal{A} \cup \{s_1 \approx s_2\}$ and $\mathcal{A}_2 := \mathcal{A} \cup \{s_1 \not\approx s_2\}$.
Ω^a -rule	If $\Omega_{\mathcal{T}_h, \Gamma}^a(\mathcal{A} _\Gamma) = \mathbf{f}$ and $\perp \notin \mathcal{A}$ then $\mathcal{A}_1 := \mathcal{A} \cup \{\perp\}$.

and a set of HT-rules \mathcal{R}_v such that $\mathcal{R}_v \cup \mathcal{A}_v$ is acyclic w.r.t. Γ and \mathcal{R}_v is HT-safe w.r.t. Γ . The algorithm is obtained by modifying Definition 1 as given next.

Blocking. An unnamed individual s is blocking-relevant in \mathcal{A} if, for s' the predecessor of s , we have

$$\mathcal{L}_{\mathcal{A}}(s, s') \cap \Gamma = \mathcal{L}_{\mathcal{A}}(s', s) \cap \Gamma = \emptyset.$$

Then, each individual s in an ABox \mathcal{A} is assigned a blocking status in the same way as in Definition 1, with the difference that s is directly blocked by t if, in addition to the conditions in Definition 1, both s and t are blocking-relevant.

Derivation Rules. The derivation rules are given in Tables 1 and 4. By $\mathcal{A}|_\Gamma$ we denote the ABox obtained from \mathcal{A} by removing each assertion containing an indirectly blocked individual and each assertion α such that $\text{sig}(\alpha) \not\subseteq \Gamma$.

Our algorithm is indeed an import-by-query algorithm.

Theorem 7. The $\mathcal{ALCCHI}\mathcal{Q}$ Ω^a -algorithm is an import-by-query algorithm and it can be implemented such that it runs in N2EXPTIME in the size of $\mathcal{R}_v \cup \mathcal{A}_v$ with an exponential number of calls to $\Omega_{\mathcal{T}_h, \Gamma}^a$.

We explain next the intuitions behind the proofs. All derivation rules are clearly sound. Furthermore, due to acyclicity, the chains of assertions involving roles from Γ are bounded in length, which enables blocking and ensures termination. We next sketch the completeness argument. Let \mathcal{A} be a clash-free ABox labeling the leaf of a derivation from $\mathcal{R}_v, \mathcal{A}_v$, and $\Omega_{\mathcal{T}_h, \Gamma}^a$, and let \mathcal{R}_h be the set of HT-rules corresponding to \mathcal{T}_h . To prove that $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{T}_h$ is satisfiable, we extend \mathcal{A} to a clash-free ABox \mathcal{A}_{fin} such that no derivation rule of the standard hypertableau algorithm is applicable to $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_{fin} ; thus, $\mathcal{R}_v \cup \mathcal{R}_h \cup \mathcal{A}_{\text{fin}}$ is satisfiable, and so is $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}_{\text{fin}}$. The construction of \mathcal{A}_{fin} proceeds as follows:

1. We take the projection $\mathcal{A}|_\Gamma$ of \mathcal{A} to Γ and split it up. In particular, we define \mathcal{A}^{nm} to contain all assertions of $\mathcal{A}|_\Gamma$ involving individuals reachable from a named individual;

furthermore, for each nonblocked blocking-relevant individual t , we define \mathcal{A}^t to contain all assertions of $\mathcal{A}|_\Gamma$ involving individuals reachable from t .

2. We apply the standard hypertableau algorithm to \mathcal{R}_h and \mathcal{A}^{nm} , and \mathcal{R}_h and each \mathcal{A}^t ; let $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and $\mathcal{A}_{\text{fin}}^t$ be clash-free ABoxes labeling leaves of the respective derivations. The Ω^a -rule is not applicable to \mathcal{A} so such ABoxes exist.
3. We define \mathcal{A}_{fin} as the union of \mathcal{A} , $\mathcal{A}_{\text{fin}}^{\text{nm}}$, and all $\mathcal{A}_{\text{fin}}^t$, plus all assertions $C(s)$ such that s is blocked in \mathcal{A} by the blocker s' , $C(s') \in \mathcal{A}_{\text{fin}}^{s'}$, and $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_h)$.

Call the individuals from \mathcal{A} *old*, and the individuals introduced in the second step *new*; we then observe the following. (1) Due to the cut rules, any assertion derivable by the hypertableau calculus is present in \mathcal{A} positively or negatively, so the second step above cannot derive new assertions involving only old individuals. (2) ABoxes \mathcal{A}^{nm} and \mathcal{A}^t are disjoint, so the HT-rules from \mathcal{R}_h can be applied in \mathcal{A}_{fin} only to subsets that correspond to \mathcal{A}^{nm} and \mathcal{A}^t . (3) Due to (1), no HT-rule from \mathcal{R}_v can become applicable to assertions involving only old individuals. (4) Due to HT-safety, no HT-rule from \mathcal{R}_v can become applicable to an assertion of \mathcal{A}_{fin} that involves a new individual. (5) Due to (1) and the third step from the construction above, if an individual s is blocked in \mathcal{A} , $\mathcal{A}_{\text{fin}}^{\text{nm}}$, or $\mathcal{A}_{\text{fin}}^t$, then s is blocked in \mathcal{A}_{fin} as well. Observations (1)–(6) then imply that no derivation rule of the standard hypertableau algorithm is applicable to $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_{fin} , which proves completeness.

Consider our running example in which \mathcal{R}_v contains the HT-rules (4)–(9), $\mathcal{A}_v = \{A(a)\}$, $\Gamma = \{C, R, T\}$, and $\mathcal{T}_h = \{\exists R.T \sqsubseteq C, C \sqsubseteq \exists T.C, C \sqsubseteq E\}$. The $\mathcal{ALCCHI}\mathcal{Q}$ Ω^a -algorithm produces a derivation in which a leaf is labeled with the ABox \mathcal{A} shown in Figure 3(a); for simplicity, we do not show the negative assertions. Individual f is directly blocked by c in \mathcal{A} , and assertions $C(a)$ and $C(d)$ are due to the application of the A-cut rule. To construct \mathcal{A}_{fin} , the assertions containing a symbol not in Γ are removed, resulting in the ABox $\mathcal{A}|_\Gamma$ shown in Figure 3(b). This ABox is then split into connected components \mathcal{A}^{nm} , \mathcal{A}^c , and \mathcal{A}^d ; note that c and d are the only nonblocked blocking-relevant individuals. Next, \mathcal{A}^{nm} , \mathcal{A}^c , and \mathcal{A}^d are completed w.r.t. \mathcal{R}_h using the standard hypertableau algorithm; figure 3(c) shows the resulting ABoxes $\mathcal{A}_{\text{fin}}^{\text{nm}}$, $\mathcal{A}_{\text{fin}}^c$, and $\mathcal{A}_{\text{fin}}^d$. Note that the guesses of $C(a)$ and $C(d)$ in \mathcal{A} are consistent with the axiom $\exists R.T \sqsubseteq C$ from \mathcal{T}_h . Finally, \mathcal{A}_{fin} is obtained by taking the union of \mathcal{A} , $\mathcal{A}_{\text{fin}}^{\text{nm}}$, $\mathcal{A}_{\text{fin}}^c$, and $\mathcal{A}_{\text{fin}}^d$, and adding $E(f)$; the latter is because f is blocked by c and $E(c) \in \mathcal{A}_{\text{fin}}^c$. The result is shown in Figure 3(d), and clearly no derivation rule of the standard hypertableau algorithm is applicable to \mathcal{A}_{fin} .

We finish this section with a note that, similarly as in our previous work (Cuenca Grau, Motik, and Kazakov 2009, Section 5.2), if \mathcal{T}_h is Horn, we can use an entailment oracle instead of a satisfiability oracle, dispense with the nondeterministic cut rules, and use an oracle query rule that deterministically completes an ABox with the missing assertions. Such an algorithm issues oracle queries “on demand,” so it is “goal oriented” and thus better suited to implementation.




Figure 3: Completeness of the $ALCHIQ \Omega^3$ -algorithm

Conclusion

In this paper, we have extended the import-by-query framework from our previous work and have lifted many of its original restrictions. Our results provide a flexible way for ontology designers to ensure selective access to their ontologies. Our framework thus provides key theoretical insights into the issues surrounding ontology privacy. Furthermore, we believe our algorithms to be practicable when applied to Horn ontologies; thus, our results provide a starting point for the development of practical import-by-query systems.

The problem of import-by-query is novel, and we see many open questions. From a theoretical point of view, it would be interesting to explore the formal connection between import-by-query and interpolation. Furthermore, a problem that is relevant to both theory and practice is to allow the hidden ontology to selectively export data and not just schema statements. Finally, the framework should be implemented and tested in practice.

References

- Baader, F.; Calvanese, D.; McGuinness, D.; Nardi, D.; and Patel-Schneider, P. F., eds. 2007. *The Description Logic Handbook: Theory, Implementation and Applications*. Cambridge University Press, 2nd edition.
- Baader, F.; Brandt, S.; and Lutz, C. 2005. Pushing the \mathcal{EL} Envelope. In *Proc. IJCAI*, 364–369.
- Calvanese, D.; De Giacomo, G.; Lembo, D.; Lenzerini, M.; and Rosati, R. 2004. What to Ask to a Peer: Ontology-based Query Reformulation. In *Proc. KR*, 469–478.
- Cuenca Grau, B.; Horrocks, I.; Kazakov, Y.; and Sattler, U. 2008. Modular Reuse of Ontologies: Theory and Practice. *JAIR* 31:273–318.

- Cuenca Grau, B.; Motik, B.; and Kazakov, Y. 2009. Import-by-Query: Ontology Reasoning under Access Limitations. In *Proc. IJCAI*, 727–733. AAAI Press.
- Horrocks, I.; Kutz, O.; and Sattler, U. 2005. The irresistible $SRIQ$. In *Proc. of OWLED*.
- Konev, B.; Walter, D.; and Wolter, F. 2009. Forgetting and uniform interpolation in large-scale description logic terminologies. In *Proc. IJCAI*. AAAI Press.
- Kutz, O.; Horrocks, I.; and Sattler, U. 2006. The Even More Irresistible $SRQIQ$. In *Proc. KR*, 68–78.
- Lutz, C., and Wolter, F. 2009. Deciding inseparability and conservative extensions in the description logic \mathcal{EL} . *J. of Symbolic Computation* 45:151–286.
- Lutz, C.; Walther, D.; and Wolter, F. 2007. Conservative Extensions in Expressive Description Logics. In *Proc. IJCAI*, 453–458.
- Motik, B., and Horrocks, I. 2008. Individual Reuse in Description Logic Reasoning. In *Proc. IJCAR*, 242–258.
- Motik, B.; Shearer, R.; and Horrocks, I. 2009. Hyper-tableau Reasoning for Description Logics. *JAIR*.
- Stuckenschmidt, H.; Parent, C.; and Spaccapietra, S., eds. 2009. *Modular Ontologies: Concepts, Theories and Techniques for Knowledge Modularization*, volume 5445 of *LNCS*. Springer.

Appendix

Proof of Theorem 6

For each \mathcal{R} and \mathcal{A} , each derivation of the hypertableau algorithm for \mathcal{EL} contains exactly one leaf node, so we identify a derivation with a sequence of ABoxes $\mathcal{A}_0, \mathcal{A}_1, \dots, \mathcal{A}_n$; furthermore, the ABox labeling the derivation leaf is uniquely defined by \mathcal{R} and \mathcal{A} , so we denote it with $\text{sat}(\mathcal{R}, \mathcal{A})$. The following lemma can be easily shown by modifying slightly the proofs from (Motik and Horrocks 2008) and (Baader, Brandt, and Lutz 2005).

Lemma 1. *The following properties hold for each set of \mathcal{EL} -rules \mathcal{R} , ABox \mathcal{A} , atomic concept $C \in \text{sig}(\mathcal{R})$, and individual s in \mathcal{A} :*

1. $C(s) \in \text{sat}(\mathcal{R}, \mathcal{A})$ iff $\mathcal{R} \cup \mathcal{A} \models C(s)$.
2. For each ABox $\mathcal{A}' \subseteq \text{sat}(\mathcal{R}, \mathcal{A})$ and each set of \mathcal{EL} -rules $\mathcal{R}' \subseteq \mathcal{R}$, we have $\text{sat}(\mathcal{R}', \mathcal{A}') \subseteq \text{sat}(\mathcal{R}, \mathcal{A})$.

Just like in the case of the hypertableau algorithm for \mathcal{EL} , each derivation of the Ω^e -algorithm for \mathcal{EL} contains exactly one leaf node; furthermore, the ABox labeling the derivation leaf is uniquely defined by $\mathcal{R}_v, \mathcal{A}_v$, and $\Omega_{\mathcal{T}_h, \Gamma}^e$, so we denote it with $\text{sat}^e(\mathcal{R}_v, \mathcal{A}_v, \Omega_{\mathcal{T}_h, \Gamma}^e)$. In our proofs, we identify assertions of the form $\perp(s)$ with just \perp .

Lemma 2. *Let \mathcal{R}_h be the result of transforming \mathcal{T}_h into \mathcal{EL} -rules; furthermore, let $\mathcal{A}^e = \text{sat}^e(\mathcal{R}_v, \mathcal{A}_v, \Omega_{\mathcal{T}_h, \Gamma}^e)$ and $\mathcal{A}^{\mathcal{EL}} = \text{sat}(\mathcal{R}_v \cup \mathcal{R}_h, \mathcal{A}_v)$. The following is then true.*

- Soundness: $\mathcal{A}^e \subseteq \mathcal{A}^{\mathcal{EL}}$;
- Completeness: $\perp \in \mathcal{A}^{\mathcal{EL}}$ implies $\perp \in \mathcal{A}^e$.

Proof (Soundness). Let $\mathcal{A}_0, \dots, \mathcal{A}_n$ with $\mathcal{A}_n = \mathcal{A}^e$ be a derivation of $\text{sat}^e(\mathcal{R}_v, \mathcal{A}_v, \Omega_{\mathcal{T}_h, \Gamma}^e)$. We show by induction on the rule applications that $\mathcal{A}_i \subseteq \mathcal{A}^{\mathcal{EL}}$ for each $0 \leq i \leq n$. This claim holds for $i = 0$ because $\mathcal{A}_0 = \mathcal{A}_v$. Assume now that $\mathcal{A}_{i-1} \subseteq \mathcal{A}^{\mathcal{EL}}$ and let \mathcal{A}_i be obtained from \mathcal{A}_{i-1} by applying a derivation rule of the \mathcal{EL} Ω^e -algorithm.

Assume that the *Hyp*-rule is applied to \mathcal{A}_{i-1} and some \mathcal{EL} -rule $\varrho \in \mathcal{R}_v$. From $\varrho \in \mathcal{R}_v \cup \mathcal{R}_h$, $\mathcal{A}_{i-1} \subseteq \mathcal{A}^{\mathcal{EL}}$, and the fact that *Hyp*-rule is not applicable to $\mathcal{A}^{\mathcal{EL}}$ and ϱ , we have $\mathcal{A}_i \subseteq \mathcal{A}^{\mathcal{EL}}$. The argument is the same for the \exists -rule.

Assume that the Ω^e -rule is applied to \mathcal{A}_{i-1} deriving $C(s)$ for $C \in \Gamma \cup \{\perp\}$. By the precondition of the rule we have $\Omega_{\mathcal{T}_h, \Gamma}^e(\mathcal{A}_{i-1}|_{\Gamma}, C(s)) = \mathbf{t}$, so by Property 1 of Lemma 1 we have $C(s) \in \text{sat}(\mathcal{R}_h, \mathcal{A}_{i-1}|_{\Gamma})$. By the induction assumption $\mathcal{A}_{i-1}|_{\Gamma} \subseteq \mathcal{A}^{\mathcal{EL}}$; furthermore, $\mathcal{R}_h \subseteq \mathcal{R}_h \cup \mathcal{R}_v$, so by Property 2 of Lemma 1 we have $\text{sat}(\mathcal{R}_h, \mathcal{A}_{i-1}|_{\Gamma}) \subseteq \mathcal{A}^{\mathcal{EL}}$. Thus, $C(s) \in \mathcal{A}^{\mathcal{EL}}$, as required. \square

Proof (Completeness). By Statement 1 of the claim below, $\perp \in \mathcal{A}^{\mathcal{EL}}$ implies $\perp \in \mathcal{A}^e$ or $\perp \in \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$; in the latter case, $\mathcal{R}_h \cup \mathcal{A}|_{\Gamma}$ is unsatisfiable and, since the Ω^e -rule is not applicable to \mathcal{A}^e , we have $\perp \in \mathcal{A}^e$.

We say that an individual s is *\mathcal{R}_v -relevant* if $s \in N_I$ or if it is of the form a_C with $C \in \text{sig}(\mathcal{R}_v)$; in contrast, s is *\mathcal{R}_h -relevant* if it is of the form a_C with $C \in \text{sig}(\mathcal{R}_h)$.

CLAIM: Let $\mathcal{A}_0, \dots, \mathcal{A}_n = \text{sat}(\mathcal{R}_v \cup \mathcal{R}_h, \mathcal{A}_v)$ be a derivation for $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_v ; then, the following statements hold for each \mathcal{A}_j with $0 \leq j \leq n$:

1. $\mathcal{A}_j \subseteq \mathcal{A}^e \cup \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$.
2. $\alpha \in \mathcal{A}_j$ implies $\alpha \in \mathcal{A}^e$ whenever α is of the form
 - (a) $C(s)$ with $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v)$ and s \mathcal{R}_v -relevant, or
 - (b) $R(s, t)$ with $R \in \text{sig}(\mathcal{R}_v)$ and s and t \mathcal{R}_v -relevant.
3. For each $C(s) \in \mathcal{A}_j$, we have that
 - (a) $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v)$ or $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_h)$, and
 - (b) if s is \mathcal{R}_h -relevant, then $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_h)$.
4. Each role assertion in \mathcal{A}_j is of the form
 - (a) $R(s, t)$ with $s, t \in N_I$ and $R \in \text{sig}(\mathcal{R}_v)$, or
 - (b) $R(s, a_C)$ such that
 - i. $\{R, C\} \subseteq \text{sig}(\mathcal{R}_v)$ or $\{R, C\} \subseteq \text{sig}(\mathcal{R}_h)$, and
 - ii. if s is \mathcal{R}_h -relevant, then $\{R, C\} \subseteq \text{sig}(\mathcal{R}_h)$.

The proof is by induction on the application of the derivation rules. For the induction base, we have $\mathcal{A}_0 = \mathcal{A}_v$. Statements (1) and (2) hold because $\mathcal{A}_v \subseteq \mathcal{A}^e$. Statement (3a) holds since $C(a) \in \mathcal{A}_v$ implies $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v)$. Statement (3b) holds vacuously. Finally, Statement (4) holds because each role assertion in \mathcal{A}_v is of the form (4a). Assume now that Statements 1–4 hold for \mathcal{A}_{j-1} and consider an application of a rule that derives \mathcal{A}_j .

Assume that the \exists -rule is applied to $\exists R.C(s) \in \mathcal{A}_{j-1}$, deriving $R(s, a_C)$ and $C(a_C)$. By the induction assumption, $\exists R.C(s) \in \mathcal{A}^e$ or $\exists R.C(s) \in \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$. In the former case, we have $\{R(s, a_C), C(a_C)\} \subseteq \mathcal{A}^e$ because the \exists -rule is not applicable to \mathcal{A}^e ; in the latter case, we have $\{R(s, a_C), C(a_C)\} \subseteq \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$ because the \exists -rule is not applicable to $\text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$; thus, \mathcal{A}_j satisfies Statement (1). If $\{R, C\} \subseteq \text{sig}(\mathcal{R}_v)$ and s is \mathcal{R}_v -relevant, then $\exists R.C(s) \in \mathcal{A}^e$ since \mathcal{A}_{j-1} satisfies Statement (2); but then, since the \exists -rule is not applicable to \mathcal{A}^e , we have $\{R(s, a_C), C(a_C)\} \subseteq \mathcal{A}^e$, so \mathcal{A}_j satisfies Statement (2). Furthermore, C is atomic, so $C(a_C)$ satisfies Statement (3). Finally, $\exists R.C(s)$ satisfies Statements (3a) and (3b), so $R(s, a_C)$ satisfies Statements (4b-i) and (4b-ii), respectively.

Assume that the *Hyp*-rule is applied to an \mathcal{EL} -rule ϱ of the form (3), deriving $C(s)$. Then, individuals t_1, \dots, t_m in \mathcal{A}_{j-1} exist such that $A_i(s) \in \mathcal{A}_{j-1}$ for each $1 \leq i \leq k$, and $\{R_i(s, t_i), B_{i,1}(t_i), \dots, B_{i,m_i}(t_i)\} \subseteq \mathcal{A}_{j-1}$ for each $1 \leq i \leq m$. Statement (4) trivially holds for \mathcal{A}_j . We next prove Statements (1)–(3) by distinguishing the cases when $\varrho \in \mathcal{R}_h$ and $\varrho \in \mathcal{R}_v$.

- $\varrho \in \mathcal{R}_h$. By the induction assumption, for each $1 \leq i \leq k$ we have $A_i(s) \in \mathcal{A}^e \cup \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$. If $A_i(s) \in \mathcal{A}^e$, then $A_i \in \text{sig}(\mathcal{R}_v)$; moreover, $A_i \in \text{sig}(\mathcal{R}_h)$ since A_i occurs in $\varrho \in \mathcal{R}_h$; thus, $A_i \in \text{sig}(\mathcal{R}_v) \cap \text{sig}(\mathcal{R}_h) = \Gamma$, so $A_i(s) \in \mathcal{A}^e|_{\Gamma}$. Hence, $A_i(s) \in \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$ for each $1 \leq i \leq k$. One can prove in an analogous way that $\{R_i(s, t_i), B_{i,1}(t_i), \dots, B_{i,m_i}(t_i)\} \subseteq \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$ for each $1 \leq i \leq m$. Since the *Hyp*-rule is not applicable to $\text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$, then $C(s) \in \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$, so \mathcal{A}_j satisfies Statement (1).

In the proof that \mathcal{A}_j satisfies Statement (2), the only nontrivial case is when s is \mathcal{R}_v -relevant (so it occurs in $\mathcal{A}^e|_{\Gamma}$), $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v)$, and $C(s) \in \text{sat}(\mathcal{R}_h, \mathcal{A}^e|_{\Gamma})$. Since C occurs in $\varrho \in \mathcal{R}_h$, we have $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_h)$, so $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v) \cap \text{sig}(\mathcal{R}_h) = \Gamma$. By Property 1 of

Lemma 1, we have $\mathcal{R}_h \cup \mathcal{A}^e \upharpoonright_{\Gamma} \models C(s)$; since the Ω^e -rule is not applicable to \mathcal{A}^e , we have $C(s) \in \mathcal{A}^e$; thus, \mathcal{A}_j satisfies Statement (2). Finally, \mathcal{A}_j satisfies Statements (3a) and (3b) because $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_h)$.

- $\varrho \in \mathcal{R}_v$. Clearly, $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v)$. We first prove the following property (\star): if s is of the form a_D , then $D \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$. To prove (\star), let us assume that s is of the form a_D . Since \mathcal{R}_v is \mathcal{EL} -safe w.r.t. Γ , by Definition 4 at least one of the following cases holds.
 - $A_i \notin \Gamma$ for some $1 \leq i \leq k$. Thus, $A_i \notin \text{sig}(\mathcal{R}_h)$. Now $A_i(a_D)$ satisfies the contrapositive of Statement (3b), so $D \notin \text{sig}(\mathcal{R}_h)$, and $D \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$.
 - $R_i \notin \Gamma$ for some $1 \leq i \leq m$. Thus, $R_i \notin \text{sig}(\mathcal{R}_h)$. Now $R_i(a_D, t_i)$ satisfies the contrapositive of Statement (4b-ii), so $D \notin \text{sig}(\mathcal{R}_h)$, and $D \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$.
 - $R_i \in \Gamma$ and $B_{i,\ell} \notin \Gamma$ for some $1 \leq i \leq m$ and some $1 \leq \ell \leq m_i$. Assertion $R(a_D, t_i)$ satisfies Statement (4), so t_i is of the form a_E for some E . Assertion $B_{i,\ell}(a_E)$ satisfies Statement (3b) and $B_{i,\ell} \notin \text{sig}(\mathcal{R}_h)$, so (by the contrapositive) we have $E \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$. Assertion $R(a_D, a_E)$ satisfies Statement (4b-ii), so (by the contrapositive) we have $D \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$.

By (\star), we have that either $s \in N_I$ or $s = a_D$ with $D \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$; thus, s is \mathcal{R}_v -relevant. Furthermore, since $A \in \text{sig}(\mathcal{R}_v)$, $A_i(s) \in \mathcal{A}_{j-1}$, and \mathcal{A}_{j-1} satisfies Statement (2), we have $A_i(s) \in \mathcal{A}^e$. Consider now each t_i with $1 \leq i \leq m$. Since ϱ is \mathcal{EL} -safe, for some $1 \leq \ell \leq m_i$ we have $B_{i,\ell} \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$, so t_i is not \mathcal{R}_h -relevant by the contrapositive of Statement (3b); that is, t_i is \mathcal{R}_v -relevant. By Statement (2), we then have $\{R_i(s, t_i), B_{i,1}(t_i), \dots, B_{i,m_i}(t_i)\} \subseteq \mathcal{A}^e$. Thus, \mathcal{A}^e contains the assertions matching the body of the \mathcal{EL} -rule ϱ and deriving $C(s)$; since the *Hyp*-rule is not applicable to \mathcal{A}^e and ϱ , we have $C(s) \in \mathcal{A}^e$; thus, \mathcal{A}_j satisfies Statements (1) and (2). Furthermore, \mathcal{A}_j satisfies Statement (3a) because $\text{sig}(C) \subseteq \text{sig}(\mathcal{R}_v)$. Finally, if s is of the form s_D , then by (\star) we have $D \in \text{sig}(\mathcal{R}_v) \setminus \Gamma$, so \mathcal{A}_j satisfies Statement (3b) vacuously. \square

Theorem 6. *The \mathcal{EL} Ω^e -algorithm is an import-by-query algorithm and it can be implemented such that it runs in time polynomial in the size of $\mathcal{R}_v \cup \mathcal{A}_v$ with a polynomial number of calls to $\Omega_{\mathcal{T}_h, \Gamma}^e$.*

Proof. Each application of a derivation rule adds an assertion of the form $C(a)$ or $R(a, b)$ for $C \in \text{sig}(\mathcal{R}_v) \cup \{\perp\}$. Since no rule removes assertions from an ABox, the total number of rule applications is polynomial. Thus, the algorithm can be implemented such that it runs in polynomial time with a polynomial number of calls to the oracle.

Since \mathcal{R}_h is the result of transforming \mathcal{T}_h into \mathcal{EL} -rules, $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{T}_h$ is satisfiable iff $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{R}_h$ is satisfiable. Let \mathcal{A}^e and $\mathcal{A}^{\mathcal{EL}}$ be as specified in Lemma 2. Suppose that $\mathcal{R}_v \cup \mathcal{R}_h \cup \mathcal{A}_v$ is satisfiable; hence, $\perp \notin \mathcal{A}^{\mathcal{EL}}$. By the soundness property of Lemma 2, then $\perp \notin \mathcal{A}^e$ so the import-by-query algorithm returns t. Finally, suppose that

the import-by-query algorithm returns t; hence, $\perp \notin \mathcal{A}^e$. By the completeness property of Lemma 2, we have $\perp \notin \mathcal{A}^{\mathcal{EL}}$, so $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{R}_h$ is satisfiable. \square

Proof of Theorem 7

We will need the following machinery to show the theorem.

Definition 10. *An ABox \mathcal{A} is an HT-ABox if all of its assertions satisfy the following conditions, for B an atomic or a negated atomic concept, S a role, R an atomic role, a and b named individuals, s an individual, and i and j integers.*

1. Each concept assertion in \mathcal{A} is of the form $B(s)$ or $\geq n S.B(s)$.
2. Each role assertion in \mathcal{A} is of the form $R(a, b)$, $R(s, s.i)$, or $R(s.i, s)$.
3. Each negative role assertion in \mathcal{A} is of the form $\neg R(a, b)$, $\neg R(s, s.i)$, or $\neg R(s.i, s)$.
4. If an individual $s.i$ occurs in an assertion in \mathcal{A} , then \mathcal{A} contains a role assertion of the form $R(s, s.i)$ or $R(s.i, s)$.
5. Each equality in \mathcal{A} is of the form $s.i \approx s.j$, $s.i \approx s$, $s.i.j \approx s$, $s \approx s$, or $a \approx b.i$.

Lemma 3 ((Motik, Shearer, and Horrocks 2009)). *Let \mathcal{R} be a set of HT-rules and \mathcal{A} an ABox. Then, each ABox labeling a node of a derivation for \mathcal{R} and \mathcal{A} is an HT-ABox.*

Lemma 4 ((Motik, Shearer, and Horrocks 2009)). *Let \mathcal{R} be a set of HT-rules and \mathcal{A} a clash-free HT-ABox not containing indirectly blocked individuals. If no derivation rule is applicable to \mathcal{R} and \mathcal{A} , then $\mathcal{R} \cup \mathcal{A}$ is satisfiable.*

Definition 11. *The weakened pairwise anywhere blocking, abbreviated w-blocking, is the same as in Definition 1, with the difference that the following condition is used instead of $\mathcal{L}_{\mathcal{A}}(s') = \mathcal{L}_{\mathcal{A}}(t')$:*

For each HT-rule $\varrho \in \mathcal{R}$ containing a body atom of the form $R(x, y)$ or $R(y, x)$ with R an atomic role such that $R \in \mathcal{L}_{\mathcal{A}}(s, s') \cup \mathcal{L}_{\mathcal{A}}(s', s)$, and for each atomic concept A occurring in ϱ , we have that $A \in \mathcal{L}_{\mathcal{A}}(s')$ iff $A \in \mathcal{L}_{\mathcal{A}}(t')$.

Lemma 5. *Lemma 4 holds even if the derivation for \mathcal{R} and \mathcal{A} uses w-blocking.*

Proof (Sketch). Let \mathcal{A}' be an ABox labeling a leaf of a derivation for \mathcal{R} and \mathcal{A}' ; let s be an individual that is blocked in \mathcal{A}' by t by w-blocking; and let s' and t' be the parents of s and t . For the proof of (Motik, Shearer, and Horrocks 2009, Lemma 6) to hold, we must show that no HT-rule is applicable to an interpretation obtained by unraveling \mathcal{A}' . Let $\varrho \in \mathcal{R}$ be an HT-rule. If ϱ does not contain in the body a role atom with a role $R \in \mathcal{L}_{\mathcal{A}}(s, s') \cup \mathcal{L}_{\mathcal{A}}(s', s)$, then the *Hyp*-rule cannot be applied to ϱ with substitution $\sigma(x) = s$. Furthermore, if ϱ does not contain an atomic concept A , then the fact that $A \in \mathcal{L}_{\mathcal{A}}(s')$ but $A \notin \mathcal{L}_{\mathcal{A}}(t')$ or vice versa cannot affect the applicability of ϱ . Thus, by a straightforward modification of the proof of (Motik, Shearer, and Horrocks 2009, Lemma 6), we can construct a model for \mathcal{A} and \mathcal{R} by unraveling \mathcal{A}' . \square

It is straightforward to see that the derivation rules in Table 4 do not invalidate Lemma 3—that is, given an HT-ABox, they always produce an HT-ABox.

Termination

To show termination, we first show that the dependency structure $G = (\sim, E, \lambda)$ for $\mathcal{R}_v \cup \mathcal{A}_v$ w.r.t. Γ “overestimates” the ABoxes produced by the hypertableau algorithm; that is, we show that each ABox $\rho(t)$ labeling a derivation node can be homomorphically embedded into G .

Lemma 6. *Let \mathcal{R}_v be a set of HT-clauses, \mathcal{A}_v an ABox, Γ a signature, $G = (\sim, E, \lambda)$ the dependency structure for $\mathcal{R}_v \cup \mathcal{A}_v$ w.r.t. Γ , \mathcal{T}_h an \mathcal{ALCHIQ} TBox, and (T, ρ) a derivation for \mathcal{R}_v , \mathcal{A}_v , and $\Omega_{\mathcal{T}_h, \Gamma}^a$. Then, for each derivation node $t \in T$, a mapping μ from the individuals in $\rho(t)$ to the set W of equivalence classes of \sim exists that satisfies all of the following properties for all individuals s and s' occurring in $\rho(t)$:*

1. $C(s) \in \rho(t)$ implies $C \in \lambda(\mu(s))$.
2. $R(s, s') \in \rho(t)$ implies $R \in \lambda(\mu(s), \mu(s'))$.
3. If $s' = s.i$, then $\langle \mu(s), \mu(s') \rangle \in E$.
4. If $s \approx s' \in \rho(t)$, then $\mu(s) = \mu(s')$.
5. If s is an unnamed individual in $\rho(t)$, then $\mu(s) \cap V_2 \neq \emptyset$, for V_2 as in Definition 8.

Proof. We prove the lemma by induction on the structure of the derivation. For $\epsilon \in T$ the root node of the derivation, let μ be defined as follows:

$$\mu = \{a \mapsto [v_a]_{\sim} \mid \text{for each individual } a \text{ occurring in } \mathcal{A}_v\}$$

The ABox $\rho(\epsilon)$ satisfies Properties 1 and 2 by Condition 1 from Table 3. Furthermore, Properties 3 and 5 hold trivially because $\rho(\epsilon)$ only contains named individuals. Property 4 also holds trivially because $\rho(\epsilon)$ does not contain assertions of the form $s \approx s'$.

For the induction step, assume that, for some derivation node $t \in T$, the ABox $\rho(t)$ satisfies the claim for some mapping μ . For each child node $t' \in T$ of t , we consider the possible ways $\rho(t')$ can be derived from $\rho(t)$.

- Ω^a -rule: All properties hold trivially for $\rho(t')$ and μ .
- A -cut: We have $\rho(t') = \rho(t) \cup \{C(s)\}$ with C of the form A or $\neg A$ and $A \in \Gamma$. Then, $C \in \lambda(\mu(s))$ by Condition 4 from Table 3, so $\rho(t')$ satisfies Property 1 for μ . Finally, Properties 2–5 hold by the induction assumption.
- R -cut: First, assume that $\rho(t') = \rho(t) \cup \{R(s, s')\}$ with $R \in \Gamma$. By Condition 2 of R -cut we have $R'(s, s') \in \rho(t)$ with $R' \in \Gamma$, so we have $R' \in \lambda(\mu(s), \mu(s'))$ by the induction assumption. By $R \in \Gamma$ and Condition 5 from Table 3, we have $R \in \lambda(\mu(s), \mu(s'))$, so $\rho(t')$ satisfies Property 2 for μ . Second, if $\rho(t') = \rho(t) \cup \{\neg R(s, s')\}$ with $R \in \Gamma$, then Property 2 holds trivially. Finally, Properties 1, 3, 4 and 5 hold trivially in both cases.
- R^- -cut: Assume $\rho(t') = \rho(t) \cup \{R(s', s)\}$ with $R \in \Gamma$. By Condition 2 of R^- -cut we have $R(s, s') \in \rho(t)$, so we have $R \in \lambda(\mu(s), \mu(s'))$ by the induction assumption. By $R \in \Gamma$ and Condition 6 from Table 3, we have

$R \in \lambda(\mu(s), \mu(s'))$, so $\rho(t')$ satisfies Property 2 for μ . If $\rho(t') = \rho(t) \cup \{\neg R(s', s)\}$ with $R \in \Gamma$, then Property 2 holds trivially. Properties 1, 3, 4 and 5 hold trivially in both cases.

- \perp -rule: All properties hold trivially for $\rho(t')$ and μ .
- $\geq n$ -rule: Assume that $\rho(t')$ is defined as follows, where $\geq n R.C(s) \in \rho(t)$ and s_i are fresh successors of s :

$$\rho(t') = \rho(t) \cup \{\text{ar}(R, s, s_i), C(s_i) \mid 1 \leq i \leq n\} \cup \{s_i \not\approx s_j \mid 1 \leq i < j \leq n\}$$

We have $\geq n R.C(s) \in \rho(t)$ by Condition 1 of the $\geq n$ -rule, so $\geq n R.C(s) \in \lambda(\mu(s))$ by the induction assumption. Let $\mu' = \mu \cup \{s_i \mapsto [v_C]_{\sim} \mid 1 \leq i \leq n\}$. By Conditions 1 and 2 from Table 3 and the fact that C is atomic or a negation of an atomic concept, for each $1 \leq i \leq n$ we have $C \in \lambda(\mu'(s_i))$ and either $R \in \lambda(\mu'(s), \mu'(s_i))$ if R is an atomic role or $S \in \lambda(\mu'(s_i), \mu'(s))$ if R is an inverse role and $R = S^-$. Furthermore, by Condition 2 from Table 3 we have $\langle \mu'(s), \mu'(s_i) \rangle \in E$. Hence, $\rho(t')$ satisfies Properties 1–3 for μ' . Also, $v_C \in V_2$, so $\rho(t')$ satisfies Property 5 for μ' . Finally, Property 4 holds trivially.

- Hyp -rule: Assume that $\rho(t') = \rho(t) \cup \{\alpha\}$ for α the head atom of an HT-rule ϱ of the form (2). By Condition 2 of the Hyp -rule, $\rho(t)$ contains individuals s, s_1, \dots, s_n such that the statements from the left column from the following table holds. But then, by the induction assumption, the statements from the right column hold as well.

$$\begin{array}{ll} A_i(s) \in \rho(t) & \Rightarrow A_i \in \lambda(\mu(s)) \\ R_{ij}(s, s_i) \in \rho(t) & \Rightarrow R_{ij} \in \lambda(\mu(s), \mu(s_i)) \\ S_{ij}(s_i, s) \in \rho(t) & \Rightarrow S_{ij} \in \lambda(\mu(s_i), \mu(s)) \\ B_{ij}(s_i) \in \rho(t) & \Rightarrow B_{ij} \in \lambda(\mu(s_i)) \end{array}$$

By Condition 3 from Table 3, the statements from the following table then hold as well, so $\rho(t')$ satisfies Properties 1, 2 and 4 for μ ; finally, Properties 3 and 5 hold trivially.

$$\begin{array}{l} C_i \in \lambda(\mu(s)) \\ R'_{ij} \in \lambda(\mu(s), \mu(s_i)) \\ S'_{ij} \in \lambda(\mu(s_i), \mu(s)) \\ D_{ij} \in \lambda(\mu(s_i)) \\ \mu(s_i) = \mu(s_j) \end{array}$$

- \approx -cut rule: Assume that $\rho(t') = \rho(t) \cup \{\alpha\}$ with α an assertion of the form $s_1 \approx s_2$ or $s_1 \not\approx s_2$. Then, $\rho(t)$ trivially satisfies Properties 1–3 and 5 for μ . Property 4 also holds trivially if α is of the form $s_1 \not\approx s_2$, so assume that α of the form $s_1 \approx s_2$. Then, an individual s in $\rho(t)$ and atomic roles $R, R' \in \Gamma$ exist such that

$$\begin{array}{l} \{R(s, s_1), R'(s, s_2)\} \subseteq \rho(t) \text{ or} \\ \{R(s, s_1), R'(s_2, s)\} \subseteq \rho(t) \text{ or} \\ \{R(s_1, s), R'(s_2, s)\} \subseteq \rho(t). \end{array}$$

We consider explicitly only the first case; the other ones are analogous. By the induction assumption, we then have $R \in \lambda(\mu(s), \mu(s_1))$ and $R' \in \lambda(\mu(s), \mu(s_2))$. By Condition 7 from Table 3, then $\mu(s_1) = \mu(s_2)$, so $\rho(t)$ satisfies Property 4 for μ .

- \approx -rule: Assume that $\rho(t') = \text{merge}_{\rho(t)}(s \rightarrow s')$. Then, by Conditions 1 and 2 of the \approx -rule, $s \approx s' \in \rho(t)$ with $s \neq s'$. Furthermore, by the induction assumption, we have $\mu(s) = \mu(s')$. Since merging merely replaces s with s' , it is straightforward to check that $\rho(t)$ satisfies Properties 1, 2, and 4 hold for μ' . Finally, Properties 3 and 5 hold trivially. \square

We next use Lemma 6 to prove that the length of chains of role assertions involving a role in Γ is bounded.

Lemma 7. *Let $\mathcal{R}_v, \mathcal{A}_v, \Gamma, G = (\sim, E, \lambda)$, and (T, ρ) be as in Lemma 6 with the additional restriction that G is acyclic. Let $t \in T$ be any derivation node of (T, ρ) , and let s_1, \dots, s_ℓ be unnamed individuals occurring in $\rho(t)$ such that all of the following conditions are satisfied for each $1 \leq i < \ell$:*

- s_{i+1} is a successor of s_i and
- $\rho(t)$ contains an assertion $R_i(s_i, s_{i+1})$ or $R_i(s_{i+1}, s_i)$ for some $R_i \in \Gamma$.

Then, $\ell \leq |V|$.

Proof. Assume that, for some integer $\ell > |V|$, individuals s_1, \dots, s_ℓ satisfying the two conditions exist, and let μ be a mapping satisfying Lemma 6. Consider now each $1 \leq i \leq \ell$ and let $j = i + 1 \bmod \ell$. By Lemma 6, either $R_i \in \lambda(\mu(s_i), \mu(s_j))$ or $R_i \in \lambda(\mu(s_j), \mu(s_i))$ for some $R_i \in \Gamma$; furthermore, $\mu(s_i) \cap V_2 \neq \emptyset$ because s_i is unnamed, and $\langle \mu(s_i), \mu(s_j) \rangle \in E$ because s_j is a successor of s_i . Thus, each pair $\langle \mu(s_i), \mu(s_j) \rangle$ is harmful by Definition 8. Furthermore, since $\ell > |V|$, it must be that $\mu(s_m) = \mu(s_n)$ for some $m \neq n$; thus, G contains a harmful cycle for Γ , which is a contradiction. \square

We are now ready to prove our main claim.

Lemma 8 (Termination). *Let $\mathcal{R}_v, \mathcal{A}_v, \Gamma, G = (\sim, E, \lambda)$, and (T, ρ) be as in Lemma 7. Then, (T, ρ) is finite.*

Proof. Let the *depth* of an individual s be the number of its ancestors, and let c and r be the numbers of atomic concepts and roles, respectively, occurring in \mathcal{R}_v and \mathcal{A}_v ; finally, let W be the set of equivalence classes of \sim and $\wp = (2^{2^{cr}} + 1)(|W| + 1) + 1$. Consider now each derivation node $t \in T$.

Let s be an individual in $\rho(t)$ of depth $i(|W| + 1) + 1$. By a simple induction on i , one can show that s has at least i ancestors that are blocking-relevant. The induction base is straightforward for $i = 0$; furthermore, the induction step holds because, by Lemma 7 and the fact that $\rho(t)$ is an HT-ABox, the depth of the nearest blocking-relevant ancestor of s can be at most $|W| + 1$ less than the depth of s . Thus, each individual s of depth \wp has at least $2^{2^{cr}} + 1$ blocking-relevant ancestors; since there are at most $2^{2^{cr}}$ possible concept and role labelings for an individual and its predecessor, one of the blocking ancestors of s is blocked due to the definition of blocking; hence, s is either directly or indirectly blocked in $\rho(t)$. The claim of this lemma then holds analogously as in (Motik, Shearer, and Horrocks 2009, Lemma 7). \square

Soundness & Completeness

Lemma 9 (Soundness). *Let \mathcal{R}_v be a set of HT-rules, \mathcal{T}_h an \mathcal{ALCHIQ} TBox, and \mathcal{A} an ABox such that $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}$ is satisfiable. Furthermore, let $\mathcal{A}_1, \dots, \mathcal{A}_n$ be the ABoxes obtained by applying a derivation rule from Table 1 or 4 to \mathcal{R}_v and \mathcal{A} . Then, $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}_i$ is satisfiable for some $1 \leq i \leq n$.*

Proof. Let I be a model of $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}$, and let us consider the possible derivation rules that derive $\mathcal{A}_1, \dots, \mathcal{A}_n$. The cases for the *Hyp*-, \geq -, \approx -, and \perp -rule are the same as in (Motik, Shearer, and Horrocks 2009, Lemma 5). Furthermore, by the law of excluded middle for first-order logic, the claim is true for A , R -cut, R^- -cut and \approx -cut rules. Assume that the Ω^a -rule derives \perp —that is, that $\mathcal{T}_h \cup \mathcal{A}|_\Gamma$ is unsatisfiable. But then, since $\mathcal{A}|_\Gamma \subseteq \mathcal{A}$, by the monotonicity of first-order logic $\mathcal{R}_v \cup \mathcal{T}_h \cup \mathcal{A}$ is unsatisfiable as well, which is a contradiction. \square

Lemma 10 (Completeness). *Let \mathcal{R}_v be a set of HT-safe HT-rules, \mathcal{A}_v an ABox, Γ a signature, and \mathcal{T}_h an \mathcal{ALCHIQ} TBox, and let $\mathcal{R}_v \cup \mathcal{A}_v$ be acyclic w.r.t. Γ . If a derivation for $\mathcal{R}_v, \mathcal{A}_v$, and $\Omega_{\mathcal{T}_h, \Gamma}^a$ contains a leaf node labeled with a clash-free ABox, then $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{T}_h$ is satisfiable.*

Proof. Let \mathcal{A} be an ABox obtained from a clash-free ABox labeling a leaf of a derivation for $\mathcal{R}_v, \mathcal{A}_v$, and $\Omega_{\mathcal{T}_h, \Gamma}^a$ by removing all assertions involving an indirectly blocked individual. Since $\mathcal{R}_v \cup \mathcal{A}_v$ is acyclic w.r.t. Γ , \mathcal{A} is finite by Lemma 8. It is easy to check that \mathcal{A} is an HT-ABox and that no derivation rule is applicable to $\mathcal{R}_v, \mathcal{A}$, and $\Omega_{\mathcal{T}_h, \Gamma}^a$. Furthermore, it is straightforward to see that a mapping h from the individuals in \mathcal{A}_v to the individuals in \mathcal{A} exists such that $h(a) = a$ for each individual a occurring in \mathcal{A} , $C(a) \in \mathcal{A}_v$ implies $C(h(a)) \in \mathcal{A}$, and $R(a, b) \in \mathcal{A}_v$ implies $R(h(a), h(b)) \in \mathcal{A}$. Hence, each model of $\mathcal{R}_v \cup \mathcal{A} \cup \mathcal{T}_h$ can be extended to a model of $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{T}_h$ by interpreting each individual a not occurring in \mathcal{A}_v in the same way as $h(a)$. Thus, we prove this lemma by showing that $\mathcal{R}_v \cup \mathcal{A} \cup \mathcal{T}_h$ is satisfiable.

Let \mathcal{R}_h be the result of transforming \mathcal{T}_h into a set of HT-rules as described by (Motik, Shearer, and Horrocks 2009); then, $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{T}_h$ is equisatisfiable with $\mathcal{R}_v \cup \mathcal{A}_v \cup \mathcal{R}_h$, and each model of the latter is a model of the former as well. Therefore, in the rest of the proof we extend \mathcal{A} to a clash-free HT-ABox \mathcal{A}_{fin} such that no derivation rule is applicable to $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_{fin} . By Lemma 5, then $\mathcal{R}_v \cup \mathcal{A}_{\text{fin}} \cup \mathcal{R}_h$ is satisfiable, which, together with the fact that $\mathcal{A} \subseteq \mathcal{A}_{\text{fin}}$, implies the satisfiability of $\mathcal{R}_v \cup \mathcal{A} \cup \mathcal{R}_h$. Before proceeding with the construction of \mathcal{A}_{fin} , we next introduce several useful definitions and notational conventions.

- Let $\Gamma_v = \text{sig}(\mathcal{R}_v) \cup \text{sig}(\mathcal{A}_v)$ and $\Gamma_h = \text{sig}(\mathcal{R}_h)$.
- The *modified hypertableau algorithm* is the same as the standard hypertableau algorithm from Definition 1 with the difference that it can be applied to an ABox containing unnamed individuals, in which case these individuals are treated as if they were named. Such an algorithm is clearly sound, complete, and terminating.

- In this proof, the term “blocking” refers to the version of blocking given in Definition 9, and the term “w-blocking” refers to one in Definition 11.
- For each blocked individual s , we pick an arbitrary but fixed individual s' that blocks s , which we then call the *blocker* of s .
- We say that an individual s_n is Γ -connected to an individual s_1 in \mathcal{A} if individuals s_2, \dots, s_{n-1} exist such that $R_i(s_i, s_{i+1}) \in \mathcal{A}$ or $R_i(s_{i+1}, s_i) \in \mathcal{A}$ with $R_i \in \Gamma$ for each $1 \leq i < n$.
- The *projection* of an ABox \mathcal{A} to a set of individuals S is the ABox consisting of exactly those assertions from \mathcal{A} that contain only the individuals in S .

We now proceed with the construction of \mathcal{A}_{fin} . To this end, we split $\mathcal{A}|_{\Gamma}$ into ABoxes \mathcal{A}^{nm} and \mathcal{A}^t as follows; we use these ABoxes later to construct \mathcal{A}_{fin} .

- The ABox \mathcal{A}^{nm} is the projection of $\mathcal{A}|_{\Gamma}$ to the set containing all named individuals in \mathcal{A} and all unnamed individuals that are Γ -connected to a named individual in \mathcal{A} .
- For each nonblocked blocking-relevant individual t in \mathcal{A} , the ABox \mathcal{A}^t is the projection of $\mathcal{A}|_{\Gamma}$ to the set containing t and all (unnamed) individuals that are Γ -connected to t in \mathcal{A} .

By the monotonicity of first-order logic, $\Omega_{\mathcal{T}_h, \Gamma}^{\mathfrak{a}}(\mathcal{A}|_{\Gamma}) = \mathfrak{t}$ implies $\Omega_{\mathcal{T}_h, \Gamma}^{\mathfrak{a}}(\mathcal{A}^{\text{nm}}) = \mathfrak{t}$ and $\Omega_{\mathcal{T}_h, \Gamma}^{\mathfrak{a}}(\mathcal{A}^t) = \mathfrak{t}$ for each nonblocked blocking-relevant individual t in \mathcal{A} .

Let $\mathcal{A}_{\text{fin}}^{\text{nm}}$ be the result of taking any clash-free ABox labeling a leaf of a derivation for $\mathcal{R}_h \cup \mathcal{A}^{\text{nm}}$ by the modified hypertableau algorithm and then removing all assertions containing an indirectly blocked individual; furthermore, for each nonblocked blocking-relevant individual t in \mathcal{A} , let $\mathcal{A}_{\text{fin}}^t$ be obtained from \mathcal{A}^t in an analogous way. ABoxes $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and $\mathcal{A}_{\text{fin}}^t$ exist because $\Omega_{\mathcal{T}_h, \Gamma}^{\mathfrak{a}}(\mathcal{A}^{\text{nm}}) = \mathfrak{t}$, $\Omega_{\mathcal{T}_h, \Gamma}^{\mathfrak{a}}(\mathcal{A}^t) = \mathfrak{t}$ for each t , and the modified hypertableau algorithm is sound and complete. Since the supply of unnamed individuals is unlimited, we assume without loss of generality that the \geq -rule always introduces individuals that are “globally fresh”—that is, that do not occur in any other ABox.

We next prove the following property (\diamond): $\mathcal{A}^{\text{nm}} \subseteq \mathcal{A}_{\text{fin}}^{\text{nm}}$, and $\mathcal{A}^t \subseteq \mathcal{A}_{\text{fin}}^t$ for each nonblocked blocking-relevant individual t occurring in \mathcal{A} . We show only $\mathcal{A}^{\text{nm}} \subseteq \mathcal{A}_{\text{fin}}^{\text{nm}}$; the proof of $\mathcal{A}^t \subseteq \mathcal{A}_{\text{fin}}^t$ is analogous. The proof is by an induction on the application of the derivation rules. The base of the induction is trivial. An application of the \geq -rule, the \perp -rule, and the *Hyp*-rule clearly preserves (\diamond). To show that the \approx -rule preserves (\diamond), we consider the types of equalities that can be derived via the *Hyp*-rule. Consider an application of an HT-rule to an ABox in a derivation for $\mathcal{R}_h \cup \mathcal{A}^{\text{nm}}$. For the rule to derive an equality of the form $s_1 \approx s_2$, the ABox must contain assertions of the form $R(s, s_1)$ and $R'(s, s_2)$, or $R(s, s_1)$ and $R'(s_2, s)$, or $R(s_1, s)$ and $R'(s_2, s)$. Assume now that both s_1 and s_2 occur in \mathcal{A}^{nm} . Since \approx -cut rule is not applicable to \mathcal{A}^{nm} , the ABox \mathcal{A}^{nm} contains either $s_1 \approx s_2$ or $s_1 \not\approx s_2$, so the derivation of $s_1 \approx s_2$ either makes no difference or it causes a contradiction. Finally, assume that at least one of s_1 and s_2 does not occur in \mathcal{A}^{nm} .

Since the modified hypertableau algorithm treats all individuals in \mathcal{A}^{nm} as named, merging never eliminates an individual from \mathcal{A}^{nm} . Thus, each application of the \approx -rule either eventually leads to a contradiction or it preserves (\diamond).

We now define \mathcal{A}_{fin} as the ABox obtained by

1. taking the union of \mathcal{A} , $\mathcal{A}_{\text{fin}}^{\text{nm}}$, and $\mathcal{A}_{\text{fin}}^t$ for each nonblocked blocking-relevant individual t in \mathcal{A} , and
2. adding $C(s)$ for each blocked individual s in \mathcal{A} with blocker s' such that $C(s') \in \mathcal{A}_{\text{fin}}^{s'}$ and $\text{sig}(C) \subseteq \Gamma_h$.²

By Lemma 3, $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and all $\mathcal{A}_{\text{fin}}^t$ are HT-ABoxes, and it is straightforward to see that \mathcal{A}_{fin} is an HT-ABox as well. We next show that no hypertableau derivation rule is applicable to $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_{fin} .

To this end, we first show that \mathcal{A}_{fin} satisfies the following useful property ($*$): if $\alpha \in \mathcal{A}_{\text{fin}}$, $\text{sig}(\alpha) \subseteq \Gamma_v$, and all individuals mentioned in α occur in \mathcal{A} , then $\alpha \in \mathcal{A}$. If $\text{sig}(\alpha) \subseteq \Gamma_v \setminus \Gamma$, then α could not have been added in the construction of \mathcal{A}_{fin} (because this construction adds only assertions containing symbols from Γ_h). Furthermore, if $\text{sig}(\alpha) \subseteq \Gamma$, since the A -, R -, and R^- -cut rules are not applicable to \mathcal{A} , extending \mathcal{A}^{nm} or \mathcal{A}^t with α either makes no difference or it eventually leads to a contradiction. A straightforward consequence of ($*$) is that the following properties hold for all individuals u and v occurring in \mathcal{A} :

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(u) \cap \Gamma_v = \mathcal{L}_{\mathcal{A}}(u) \quad (12)$$

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(u, v) \cap \Gamma_v = \mathcal{L}_{\mathcal{A}}(u, v) \quad (13)$$

We now show that no derivation rule of the hypertableau algorithm with w-blocking is applicable to $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_{fin} . We do so by considering the possible derivation rules.

(\geq -rule) Suppose the \geq -rule is applicable to an assertion $\geq n R.C(s) \in \mathcal{A}_{\text{fin}}$, so s is not w-blocked in \mathcal{A}_{fin} . We now show that s is not blocked in \mathcal{A} , or s is not w-blocked in $\mathcal{A}_{\text{fin}}^{\text{nm}}$, or s is not w-blocked in some $\mathcal{A}_{\text{fin}}^t$. We prove this claim by considering the possible origins of s .

- s occurs in \mathcal{A} . The claim holds trivially if s is not blocked in \mathcal{A} . Assume that t is the blocker of s in \mathcal{A} , so the following properties hold by the definition of blocking:

$$\mathcal{L}_{\mathcal{A}}(s) = \mathcal{L}_{\mathcal{A}}(t) \quad (14)$$

$$\mathcal{L}_{\mathcal{A}}(s') = \mathcal{L}_{\mathcal{A}}(t') \quad (15)$$

$$\mathcal{L}_{\mathcal{A}}(s, s') = \mathcal{L}_{\mathcal{A}}(t, t') \quad (16)$$

$$\mathcal{L}_{\mathcal{A}}(s', s) = \mathcal{L}_{\mathcal{A}}(t', t) \quad (17)$$

$$\mathcal{L}_{\mathcal{A}}(s, s') \cup \mathcal{L}_{\mathcal{A}}(s', s) \subseteq \Gamma_v \setminus \Gamma \quad (18)$$

By (12) and (13), the following properties then hold as well:

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s) \cap \Gamma_v = \mathcal{L}_{\mathcal{A}_{\text{fin}}}(t) \cap \Gamma_v \quad (19)$$

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s') \cap \Gamma_v = \mathcal{L}_{\mathcal{A}_{\text{fin}}}(t') \cap \Gamma_v \quad (20)$$

Furthermore, the second item in the construction of \mathcal{A}_{fin} ensures that $\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s)$ and $\mathcal{L}_{\mathcal{A}_{\text{fin}}}(t)$ coincide on each concept $C \in \Gamma_h \setminus \Gamma$, which ensures the following property:

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s) = \mathcal{L}_{\mathcal{A}_{\text{fin}}}(t) \quad (21)$$

²Note that, since s is blocked, it is blocking-relevant.

By (18), $\mathcal{A}|_\Gamma$ does not contains an assertion involving individuals s and s' , or individuals t and t' . By the construction of \mathcal{A}_{fin} , the following properties hold:

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s, s') = \mathcal{L}_{\mathcal{A}_{\text{fin}}}(t, t') \quad (22)$$

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s', s) = \mathcal{L}_{\mathcal{A}_{\text{fin}}}(t', t) \quad (23)$$

Consider now each rule $\varrho \in \mathcal{R}_v \cup \mathcal{R}_h$. If $\varrho \in \mathcal{R}_h$, then no role in the body of ϱ occurs in $\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s, s') \cup \mathcal{L}_{\mathcal{A}_{\text{fin}}}(s', s)$, so ϱ satisfies the condition of weakened pairwise anywhere blocking. If $\varrho \in \mathcal{R}_v$, then ϱ satisfies the condition of weakened pairwise anywhere blocking due to (20). Together with (21), (22), (23), this property implies that s is w-blocked by t .

- s occurs in $\mathcal{A}_{\text{fin}}^{\text{nm}}$ but not in \mathcal{A} . By the construction of \mathcal{A}_{fin} , $\mathcal{L}_{\mathcal{A}_{\text{fin}}}(u) = \mathcal{L}_{\mathcal{A}_{\text{fin}}^{\text{nm}}}(u)$ and $\mathcal{L}_{\mathcal{A}_{\text{fin}}}(u, v) = \mathcal{L}_{\mathcal{A}_{\text{fin}}^{\text{nm}}}(u, v)$ for all individuals u and v occurring in $\mathcal{A}_{\text{fin}}^{\text{nm}}$ but not in \mathcal{A} ; furthermore, if u occurs in both $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and \mathcal{A} , then $\mathcal{L}_{\mathcal{A}_{\text{fin}}}(u) \cap \Gamma_h = \mathcal{L}_{\mathcal{A}_{\text{fin}}^{\text{nm}}}(u) \cap \Gamma_h$. Thus, if s is not w-blocked in \mathcal{A}_{fin} , then s is not w-blocked in $\mathcal{A}_{\text{fin}}^{\text{nm}}$.
- s occurs in some $\mathcal{A}_{\text{fin}}^t$ but not in \mathcal{A} . This case is completely analogous to the previous one.

Let \mathcal{A}' be the ABox for which the above property holds. By the construction of \mathcal{A}_{fin} , we have that $\geq n R.C(s) \in \mathcal{A}'$. Since the \geq -rule is not applicable to s in \mathcal{A}' , we have that

$$\mathcal{A}' \supseteq \{ \text{ar}(R, s, u_i), C(u_i) \mid 1 \leq i \leq n \} \cup \{ u_i \not\approx u_j \mid 1 \leq i < j \leq n \}$$

for some individuals u_1, \dots, u_n . By the construction of \mathcal{A}_{fin} we have $\mathcal{A}' \subseteq \mathcal{A}_{\text{fin}}$, which then contradicts the assumption that the \geq -rule is applicable to s and \mathcal{A}_{fin} .

(\perp -rule, first variant) Property (12) holds for each individual s occurring in \mathcal{A} , and (24) and (25) hold for each individual s occurring in $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and $\mathcal{A}_{\text{fin}}^t$, respectively.

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s) \cap \Gamma_h = \mathcal{L}_{\mathcal{A}_{\text{fin}}^{\text{nm}}}(s) \cap \Gamma_h \quad (24)$$

$$\mathcal{L}_{\mathcal{A}_{\text{fin}}}(s) \cap \Gamma_h = \mathcal{L}_{\mathcal{A}_{\text{fin}}^t}(s) \cap \Gamma_h \quad (25)$$

Thus, $\{A(s), \neg A(s)\} \subseteq \mathcal{A}_{\text{fin}}$ implies $\{A(s), \neg A(s)\} \subseteq \mathcal{A}'$, where \mathcal{A}' can be \mathcal{A} , or $\mathcal{A}_{\text{fin}}^{\text{nm}}$, or some $\mathcal{A}_{\text{fin}}^t$. Since the first variant of the \perp -rule is not applicable to \mathcal{A}' , it is not applicable to \mathcal{A}_{fin} either.

(\perp -rule, second variant) Property (13) holds for each pair of individuals s and t occurring in \mathcal{A} . Furthermore, $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and $\mathcal{A}_{\text{fin}}^t$ do not contain negative assertions other than those already present in \mathcal{A} . Since the second variant of the \perp -rule is not applicable to \mathcal{A} , $\mathcal{A}_{\text{fin}}^{\text{nm}}$, and all $\mathcal{A}_{\text{fin}}^t$, it is not applicable to \mathcal{A}_{fin} either.

(\perp -rule, third variant) Suppose that the \perp -rule is applicable to an assertion of the form $s \not\approx s \in \mathcal{A}_{\text{fin}}$. By the construction of \mathcal{A}_{fin} , then $s \not\approx s \in \mathcal{A}'$ for \mathcal{A}' being \mathcal{A} , $\mathcal{A}_{\text{fin}}^{\text{nm}}$, or $\mathcal{A}_{\text{fin}}^t$ for some t . But then, since the \perp -rule is not applicable to \mathcal{A}' , it is not applicable to \mathcal{A}_{fin} either.

(\approx -rule) Assume now that the \approx -rule is applicable to \mathcal{A}_{fin} . Hence there is an assertion $s \approx s'$ in \mathcal{A}_{fin} with $s \neq s'$. By the construction of \mathcal{A}_{fin} , we have that $s \approx s' \in \mathcal{A}'$, with $\mathcal{A}' = \mathcal{A}$, or $\mathcal{A}' = \mathcal{A}_{\text{fin}}^{\text{nm}}$, or $\mathcal{A}' = \mathcal{A}_{\text{fin}}^t$ for some t . But then, since the \approx -rule is not applicable to \mathcal{A}' , it is not applicable to \mathcal{A}_{fin} either.

(*Hyp*-rule) Assume that the *Hyp*-rule is applicable to \mathcal{A}_{fin} and an HT-rule $\varrho \in R_v \cup R_h$ of the form (2). Thus, a mapping σ from the variables in ϱ to the individuals \mathcal{A}_{fin} exists such that $\sigma(U_i) \in \mathcal{A}_{\text{fin}}$ for each $1 \leq i \leq m$, but $\sigma(V_j) \notin \mathcal{A}_{\text{fin}}$ for each $1 \leq j \leq n$. Let $s = \sigma(x)$ and $u_i = \sigma(y_i)$. We have the following possibilities:

- $\varrho \in R_h$. Let \mathcal{A}' be the ABox chosen among $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and $\mathcal{A}_{\text{fin}}^t$ containing the individual s . Consider now each u_i . Then ϱ contains an atom of the form $R_{ij}(x, y_i)$ or $S_{ij}(y_i, x)$ with $R_{ij} \in \Gamma_h$ or $S_{ij} \in \Gamma_h$, so \mathcal{A}_{fin} contains an assertion of the form $R_{ij}(s, u_i)$ or $S_{ij}(u_i, s)$. By the definition of blocking, for each pair of individuals u and v that belong to different \mathcal{A}^{nm} and \mathcal{A}^t , the ABox \mathcal{A} does not contain an assertion of the form $T(u, v)$ with $T \in \Gamma_h$; but then, by the construction of \mathcal{A}_{fin} , if u and v belong to different $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and $\mathcal{A}_{\text{fin}}^t$, the ABox \mathcal{A}_{fin} does not contain such an assertion either. Thus, all u_i occur in \mathcal{A}' , so the *Hyp*-rule is applicable to ϱ and \mathcal{A}' , which is a contradiction.
 - $\varrho \in R_v$. We distinguish the following cases:
 - The rule ϱ contains no atoms of the form $R_{ij}(x, y_i)$ or $S_{ij}(y_i, x)$ in the body. Since ϱ is \mathcal{EL} -safe, we have that s occurs in \mathcal{A}_{fin} in an assertion of the form $A_i(s)$ with $A_i \in \Gamma_v \setminus \Gamma$. But then, s occurs in \mathcal{A} , so by (*) we have that $A_j(s) \in \mathcal{A}$ for each atom $A_j(s)$ occurring in the body of ϱ . Thus, ϱ is applicable to \mathcal{A} for σ , which is a contradiction.
 - The rule ϱ contains at least one atom of the form $R_{ij}(x, y_i)$ or $S_{ij}(y_i, x)$ in the body. We now consider each atom of such a form.
 - * $R_{ij} \in \Gamma$ (analogously $S_{ij} \in \Gamma$). Since ϱ is HT-safe, we have that s and u_i occur in \mathcal{A}_{fin} in assertions of the form $A_i(s)$ and $B_{ij}(u_i)$, respectively, with $A_i, B_{ij} \in \Gamma_v \setminus \Gamma$. But then, since no individual introduced by the \geq -rule in $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and each $\mathcal{A}_{\text{fin}}^t$ occurs in such an assertion, we have that s and u_i occur in \mathcal{A} . Thus, by (*) we have $A_i(s) \in \mathcal{A}$ and $B_{ij}(u_i) \in \mathcal{A}$.
 - * $R_{ij} \in \Gamma_v \setminus \Gamma$ (analogously $S_{ij} \in \Gamma_v \setminus \Gamma$). Since no individual introduced by the \geq -rule in $\mathcal{A}_{\text{fin}}^{\text{nm}}$ and each $\mathcal{A}_{\text{fin}}^t$ occurs in an assertion of the form $R_{ij}(s, u_i)$ where $R_{ij} \in \Gamma_v \setminus \Gamma$, we have that both s and u_i occur in \mathcal{A} . By (*), then $R_{ij}(s, u_i) \in \mathcal{A}$.
- In both cases, $\sigma(U_i) \in \mathcal{A}$ for each $1 \leq i \leq m$; furthermore, since $\mathcal{A} \subseteq \mathcal{A}_{\text{fin}}$, we have $\sigma(V_j) \notin \mathcal{A}$ for each $1 \leq j \leq n$. Thus, ϱ is applicable to \mathcal{A} for σ , which is a contradiction.

Thus, no derivation rule of the hypertableau algorithm with w-blocking is applicable to $\mathcal{R}_v \cup \mathcal{R}_h$ and \mathcal{A}_{fin} , so $\mathcal{R}_v \cup \mathcal{R}_h \cup \mathcal{A}_{\text{fin}}$ is satisfiable by Lemma 5. As explained earlier, this then proves the claim of this lemma. \square

Lemmas 8, 9, and 10 immediately imply Theorem 7.