

Homework 8

Due: Thursday, November 1, 2012 by **9:30am**

Instructions: You should upload your homework solutions on bspace. You are strongly encouraged to type out your solutions using L^AT_EX. You may also want to consider using mathematical mode typing in some office suite if you are not familiar with L^AT_EX. If you must handwrite your homeworks, please write clearly and legibly. We will not grade homeworks that are unreadable. You are encouraged to work in groups of 2-4, but you **must** write solutions on your own. Please review the homework policy carefully on the class homepage.

Note: You *must* justify all your answers. In particular, you will get no credit if you simply write the final answer without any explanation.

Problem 1. (8 points) We consider a problem motivated by recommendation systems used by online merchants such as Amazon and Netflix. Given two sets of integers A, B of size n , we would like to quickly determine if $A = B$, or if $|A \cap B|$ is very small, say $|A \cap B| < 0.01n$. (In the intermediate case, where $A \cap B$ is of moderate size, we do not care what the output is.) In the case of Amazon's recommendation system, A and B could be the list of books purchased by different consumers, and n could be very large.

- (a) Sketch a simple deterministic algorithm that computes $|A \cap B|$ exactly using $O(n \log n)$ comparisons.

Our aim is to beat this algorithm, using randomization and exploiting the fact that we only want to distinguish the case where $A = B$ from the case where they are very different. Specifically, we seek an algorithm with the following properties:

- if $A = B$, then the algorithm should output *yes* with probability at least $3/4$.
- if $|A \cap B| \leq 0.01n$, then the algorithm should output *no* with probability at least $3/4$.
- the algorithm uses $O(\sqrt{n} \log n)$ comparisons.

(The value $3/4$ here is for convenience only; it can easily be boosted to value $1 - \delta$ for any desired δ using only $O(\log(1/\delta))$ repeated trials.)

Here is the proposed algorithm, where the constant c is to be determined:

- (1) choose a subset X of A by picking each element of A independently with probability c/\sqrt{n} .
- (2) choose a subset Y of B by picking each element of B independently with probability c/\sqrt{n} .
- (3) if $|X| > 2c\sqrt{n}$ or $|Y| > 2c\sqrt{n}$, output *yes*.
- (4) compute $|X \cap Y|$; if $|X \cap Y| \geq 0.1c^2$, output *yes*, else output *no*.

In the rest of this problem, we will show that the algorithm achieves the required properties for a sufficiently large constant c .

- (b) Show that the algorithm does indeed use only $O(\sqrt{n} \log n)$ comparisons, assuming that c is constant.
- (c) Suppose $A = B$. Show that the algorithm outputs *yes* with probability at least $1 - e^{-0.81c^2/2}$.
- (d) Suppose $|A \cap B| \leq 0.01n$. Show that the algorithm outputs *yes* with probability at most $e^{-0.81c^2/11} + 2e^{-\Omega(\sqrt{n})}$.
- (e) Indicate briefly how to choose the constant c so as to achieve the $1/4$ error probabilities specified earlier. (You do not need to actually perform the calculation.)

Problem 2. (*Exercise 7.2 from MU – 5 points*) Consider the two-state Markov chain with the following transition matrix.

$$\mathbf{P} = \begin{bmatrix} p & 1-p \\ 1-p & p \end{bmatrix}.$$

Find a simple expression for $P_{0,0}^t$.

Problem 3. (*Exercise 7.3 from MU – 5 points*) Prove that the communicating relation defines an equivalence relation.

Problem 4. (*Exercise 7.6 from MU – 5 points*) In studying the 2-SAT algorithm, we considered a 1-dimensional random walk with a completely reflecting boundary at 0. That is, whenever position 0 is reached, with probability 1 the walk moves to position 1 at the next step. Consider now a random walk with a partially reflecting boundary at 0. Whenever position 0 is reached, with probability $1/2$ the walk moves to position 1 and with probability $1/2$ the walk stays at 0. Everywhere else the random walk moves either up or down 1, each with probability $1/2$. Find the expected number of moves to reach n , starting from position i and using a random walk with a partially reflecting boundary.

Problem 5. (*7 points*) A property of states in a Markov chain is called a *class property* if, whenever states i and j communicate, (*i.e.* each is reachable from the other), either both states have the property or neither do. Show that being periodic is a class property.